




# Biodiversity Action Plan

2026 – 2031

**Conington and  
Holme**  
Internal Drainage Board



## 1. Statement

This Biodiversity Action Plan (BAP) has been prepared by the Middle Level Commissioners on behalf of Conington and Holme Internal Drainage Board. It demonstrates the Board's commitment to fulfilling its duty as a public body, in accordance with the Environment Act 2021, to conserve and enhance biodiversity whilst exercising their statutory functions.

Importantly, it reflects the Board's aspiration to maximise the outcomes for biodiversity, particularly priority UK species and habitats and the wider environment in general, through its day to day activities, by setting clear objectives, actions and targets, and then taking action. It also highlights the recognition of its vital role in contributing towards a wider thriving natural environment.

The Board has adopted this Biodiversity Action Plan as one of its policies and is committed to its implementation. It will be reviewed annually and updated every 5 years.

Signed ..... Date .....

P Keates

Chairman of the Board

**Note:** We would welcome appropriate involvement in the delivery of the Plan from interested organisations, companies, and individuals.

You can contact us about this Biodiversity Action Plan by writing to the following address:

Conington and Holme Internal Drainage Board

Middle Level Commissioners

85 Whittlesey Road

March

Cambs

PE15 0AH

Or via email:

Enquiries@middlelevel.gov.uk

Further information is available on the Board's website:

[www.middlelevel.gov.uk](http://www.middlelevel.gov.uk)

## Contents

|                                                                             |           |
|-----------------------------------------------------------------------------|-----------|
| <b>1. Statement.....</b>                                                    | <b>2</b>  |
| <b>2. Executive Summary .....</b>                                           | <b>5</b>  |
| <b>3. Introduction .....</b>                                                | <b>6</b>  |
| 3.1. What is biodiversity and why is it important?.....                     | 6         |
| 3.2. Legislative Background .....                                           | 6         |
| 3.3. Policy & Strategic Background .....                                    | 7         |
| 3.4. UK Biodiversity Indicators.....                                        | 7         |
| 3.5. Purpose .....                                                          | 9         |
| 3.6. Vision .....                                                           | 9         |
| 3.7. Aims.....                                                              | 9         |
| <b>4. The IDB BAP Process .....</b>                                         | <b>10</b> |
| 4.1. The Biodiversity Audit.....                                            | 10        |
| 4.2. Objectives and Actions .....                                           | 10        |
| 4.3. Monitoring and Reporting .....                                         | 10        |
| <b>5. The Biodiversity Audit .....</b>                                      | <b>11</b> |
| 5.1. The Conington and Holme Internal Drainage District.....                | 11        |
| 5.2. Map of Audit Area (Drainage District).....                             | 12        |
| 5.3. Geology & Soils .....                                                  | 13        |
| 5.4. Landscape Character .....                                              | 16        |
| 5.5. Landscape Designations .....                                           | 17        |
| 5.6. Sites and Monuments .....                                              | 17        |
| 5.7. Tree Preservation Orders .....                                         | 20        |
| 5.8. Statutory Nature Conservation Sites .....                              | 21        |
| 5.8.1 Internationally Designated Sites .....                                | 21        |
| 5.8.2 Nationally Designated Sites .....                                     | 21        |
| 5.8.3 Local Nature Reserves (LNR) .....                                     | 21        |
| 5.8.4 Non-statutory Nature Conservation Sites (Table 3) .....               | 21        |
| 5.9. Habitat Audit Summary.....                                             | 23        |
| 5.10. Species Audit Summary .....                                           | 30        |
| 5.10.1 The Hull International Fisheries Institute (HIFI), EDNA Surveys..... | 42        |
| 5.11. Invasive Non-native Species Summary.....                              | 43        |
| 5.12. Water Level Management Plans .....                                    | 43        |
| <b>6. Habitat and Species Action Plans .....</b>                            | <b>44</b> |
| 6.1. Introduction .....                                                     | 44        |
| 6.2. Habitat Action Plans .....                                             | 44        |
| 6.2.1 IDB Ditches.....                                                      | 44        |
| 6.2.1.1 IDB Ditch Objectives:.....                                          | 44        |
| 6.2.1.2 IDB Ditch Actions.....                                              | 44        |
| 6.2.1.2 IDB Watercourses Actions Cont. ....                                 | 45        |
| 6.2.2 Fen Droves .....                                                      | 46        |
| 6.2.2.1 Fen Droves Objectives .....                                         | 46        |
| 6.2.2.2 Fen Droves Actions .....                                            | 46        |
| 6.2.3 Woodland .....                                                        | 47        |
| 6.2.3.1 Woodland Objectives.....                                            | 47        |
| 6.2.3.2 Wet Woodland Actions .....                                          | 47        |
| 6.2.4 Arable Field Margins.....                                             | 48        |
| 6.2.4.1 Arable Field Margins Objectives.....                                | 48        |
| 6.2.4.2 Arable Field Margins Actions.....                                   | 48        |
| 6.2.5 Grassland: Grassland & Lowland Fens (LFENS).....                      | 49        |
| 6.2.5.1 Grassland Objectives .....                                          | 49        |
| 6.2.5.2 Wet Grassland Actions .....                                         | 49        |
| 6.3. Species Action Plans .....                                             | 50        |
| 6.3.1 Notes on species without specific actions .....                       | 50        |
| 6.3.2 Birds.....                                                            | 50        |
| 6.3.2.1 Birds Objectives:.....                                              | 50        |

|                                                                                                                                                     |           |
|-----------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| 6.3.2.2 Birds Actions.....                                                                                                                          | 51        |
| 6.3.3 Mammals .....                                                                                                                                 | 53        |
| 6.3.3.1 Mammals Objectives: .....                                                                                                                   | 53        |
| 6.3.3.2 Mammals Actions .....                                                                                                                       | 53        |
| 6.3.4 Trees.....                                                                                                                                    | 55        |
| 6.3.4.1 Trees Objectives:.....                                                                                                                      | 55        |
| 6.3.4.2 Trees Actions.....                                                                                                                          | 55        |
| 6.3.5 Invasive Non-native Species (INNS) .....                                                                                                      | 56        |
| 6.3.5.1 INNS Objectives: .....                                                                                                                      | 56        |
| 6.3.5.2 INNS Actions: .....                                                                                                                         | 56        |
| <b>7. Procedural Action Plan .....</b>                                                                                                              | <b>57</b> |
| 7.1. Introduction .....                                                                                                                             | 57        |
| 7.2. Procedural Objectives .....                                                                                                                    | 57        |
| 7.3. Procedural Actions .....                                                                                                                       | 57        |
| <b>8. Monitoring.....</b>                                                                                                                           | <b>58</b> |
| <b>9. Reporting .....</b>                                                                                                                           | <b>58</b> |
| <b>10. Appendices .....</b>                                                                                                                         | <b>59</b> |
| 10.1. Appendix I – National Character Area 46 – The Fens - Detailed Statements of Environmental Opportunity .....                                   | 59        |
| 10.2. Appendix II – National Character Area 88 - Bedfordshire and Cambridgeshire Claylands - Detailed Statements of Environmental Opportunity ..... | 62        |
| 10.3. Appendix III - Impact Risk Zones for Sites of Special Scientific Interest.....                                                                | 65        |

## 2. Executive Summary

The UK is one of the most nature impoverished countries on the planet and Cambridgeshire is one of the most nature depleted counties in the UK. It's no wonder that protecting and improving biodiversity and the environment are higher than ever on the political agenda. The Government is looking for strong and proactive environmental delivery from Public Authorities to contribute towards their own challenging statutory environmental targets. The public services provided by Conington and Holme Internal Drainage Board (IDB) are no exception.

All IDBs will increasingly be expected to implement more sustainable approaches to water level and flood risk management. Proactively contributing to biodiversity conservation and enhancement is a vital part of this, and is a statutory requirement of Conington and Holme IDB, as a modern Public Authority. Through their water level management activities, Conington and Holme IDB is well placed to conserve and enhance a great range of habitats and species, particularly those associated with freshwater, riparian and wetland habitats.

Biodiversity Action Plans (BAPs) provide IDBs with a formal mechanism to demonstrate and record their contribution to biodiversity conservation and enhancement. While biodiversity conservation thinking has evolved and some new approaches are being taken to protect and enhance our nature, the IDB BAP approach remains the most suitable tool to help IDBs to deliver their statutory conservation duties.

This revised BAP takes into account the most up to date legislation, policy and best practice, and includes current local strategies, plans and priorities for nature conservation. An up-to-date biodiversity audit has also been completed which has identified the valuable habitats and species within the district but also sets out objectives to achieve improved biodiversity in general. These new and challenging targets and objectives have been set to ensure that the IDB continues to contribute to the Government's 25 Year Environment Plan and meet the associated new legislative requirements.



## 3. Introduction

### 3.1. What is biodiversity and why is it important?

---

Biodiversity can be defined simply as “the variety of life” and encompasses the whole spectrum of living organisms, including plants, birds, mammals and insects. It includes both common and rare species, as well as the genetic diversity within species. Biodiversity also refers to the habitats and ecosystems that support these species.

Biodiversity is part of our natural capital, a vital resource providing:

- Supply of ecosystem services including clean water, nutrients, climate change mitigation, flood mitigation, carbon storage and pollination;
- Life resources including food, medicine, energy and raw materials;
- Improved health and well-being;
- Landscape and cultural distinctiveness;
- Direct economic benefits from biodiversity resources and ‘added value’ through local economic activity and tourism;
- Educational, recreational and amenity resources.

This Biodiversity Action Plan is part of a much larger biodiversity framework that encompasses international, national and local levels of legislation and policy and which also include ecosystem services and climate change.

### 3.2. Legislative Background

---

When carrying out its functions, an IDB must pay particular regard to the effects their actions have on the natural environment. Some environmental legislation relates specifically to maintaining or restoring the condition of protected sites or protecting certain species, but there are also statutory duties for IDBs to conserve and enhance biodiversity in general, in and alongside the watercourses they manage and the wider landscape.

The Natural Environment and Rural Communities Act 2006 place a duty on IDBs to conserve biodiversity. The Environment Act 2021 extends this duty to also include the enhancement of biodiversity and associated statutory reporting to demonstrate the actions they have taken to do so. Below is a list of key environmental legislation (by no means an exhaustive list) relevant to the work of IDBs:

- The Environment Act 2021
- Conservation of Habitats and Species Regulations 2017
- Eels (England and Wales) Regulations 2009
- Water Environment (Water Framework Directive) (England and Wales) Regulations 2003
- Natural Environment and Rural Communities Act 2006 (Section 40)
- The Environmental Impact Assessment (Land Drainage Improvement Works) (Amendment) Regulations 2017
- Land Drainage Act 1994
- Wildlife and Countryside Act 1981 (as amended)
- The Countryside and Rights of Way Act 2000
- The Protection of Badgers Act 1992

- Flood and Water Management Act 2010
- Salmon and Freshwater Fisheries Act 1975
- Hedgerow Regulations 2024

### 3.3. Policy & Strategic Background

---

In 1992 at the United Nations Conference on the Environment and Development, commonly known as the **Rio Earth Summit**, the UK signed the Convention on Biological Diversity which pledged its commitment to contribute towards halting the worldwide loss of habitats and species and their genetic resources. At the 2010 biodiversity summit in Nagoya, Japan, the UK re-affirmed this commitment, and the “Biodiversity 2020” white paper was developed setting out how those commitments would be put into action.

Also in 2010, the report by Sir John Lawton “Making Space for Nature” set out that ecological networks were required in order to halt and reverse the declines seen in many threatened species and habitats. The report succinctly made clear that these ecological networks needed to be bigger, more frequent, better in quality, and more joined up in order to be successful in their ambitions.

The Government’s Biodiversity 2020 strategy was published in 2011 and set out the ambition to halt overall loss of England’s biodiversity by 2020. The publication of the 25 Year Environment Plan (2018) followed along with the first UK Environmental Improvement Plan; a more long-term strategy for nature recovery beyond 2020. The Environment Act 2021 further provided for the development of Local Nature Recovery Strategies (LNRS) and along with the EIP, helps to better define the priorities, targets, and goals for successful nature recovery. The enhancements IDBs can make to their management of their arterial networks of drainage channels across the landscape are key to delivering these goals.

Importantly, these policies and strategies take into account the value of the ecological services provided by non-priority species and habitats such as the carbon sequestration of wetlands, the flood alleviation of tree-planting in the uplands and the wellbeing benefits brought about by green space. As such, this BAP presents the actions planned by the IDB to support both priority and non-priority species.

Numerous national and international reports have recognized and reaffirmed that climate change in particular is considered to be one of the biggest threats to our biodiversity now, and in the future. Supporting the continuity, connectivity and quality of habitat through management, restoration and expansion of our drainage ditches may help even the less mobile species to adapt more easily to climate change. This BAP presents the actions the IDB can take to support climate resilience for biodiversity.

### 3.4. UK Biodiversity Indicators

---

The latest (Dec 2025) update of the UK Biodiversity Indicators (UKBIs), produced each year by DEFRA and JNCC, give a snapshot of the current status of biodiversity in the UK, and track trends over time, showing whether aspects of biodiversity are improving, declining, or remaining stable.

The UKBIs are used in reporting the UK’s progress against goals and targets agreed under the **Convention on Biological Diversity (CBD)**. The UKBIs include 39 indicators, comprising 68 measures in total.

The overall summary for 2025 concludes that more indicators are deteriorating or showing no change than improving, over both the long and short term.

The table below is an extract of the full list of indicators and measures and includes those that could be influenced by the activities of the IDB. Regardless of the current status or trend of the indicator, its presence in the UKBIs is sufficient reason for it to be recognized by IDBs as one that should be a priority for action and therefore included as part of this BAP.

**Table 1:** Extract of the UKBI summary table of trends and status of indicators and measures as of December 2025

| Key:                                                              |                                                                                     |                             |                                  |
|-------------------------------------------------------------------|-------------------------------------------------------------------------------------|-----------------------------|----------------------------------|
|                                                                   |                                                                                     | Deteriorating               | Improving                        |
|                                                                   |                                                                                     | Little or no overall change | Not assessed / Insufficient data |
| Indicator                                                         | Measure                                                                             | Long term period            | Short term period                |
| Birds of the wider countryside and at sea                         | All bird species                                                                    | 1970 to 2024                | 2019 to 2024                     |
|                                                                   | Breeding birds on farmland                                                          | 1970 to 2024                | 2019 to 2024                     |
|                                                                   | Breeding birds in woodland                                                          | 1970 to 2024                | 2019 to 2024                     |
|                                                                   | Breeding wetland birds                                                              | 1975 to 2024                | 2019 to 2024                     |
|                                                                   | Breeding seabirds                                                                   | 1986 to 2024                | 2019 to 2024                     |
|                                                                   | Wintering waterbirds                                                                | 1975/1976 to 2023/2024      | 2018/2019 to 2023/2024           |
|                                                                   | Breeding upland birds                                                               | 1994 to 2024                | 2019 to 2024                     |
| Insects of the wider countryside (butterflies)                    | All species of butterfly                                                            | 1976 to 2024                | 2014 to 2024                     |
|                                                                   | Habitat specialist butterflies                                                      | 1990 to 2024                | 2014 to 2024                     |
|                                                                   | Generalist butterflies                                                              | 1990 to 2024                | 2014 to 2024                     |
|                                                                   | Farmland specialist butterflies                                                     | 1990 to 2024                | 2014 to 2024                     |
|                                                                   | Woodland specialist butterflies                                                     | 1990 to 2024                | 2014 to 2024                     |
| Mammals of the wider countryside (bats)                           | Change in the abundance of bat populations                                          | 1999 to 2023                | 2018 to 2023                     |
| Plants of the wider countryside in the UK                         | Arable field margins                                                                |                             |                                  |
|                                                                   | Bog and wet heath                                                                   |                             |                                  |
|                                                                   | Broadleaved woodland and hedges                                                     |                             |                                  |
|                                                                   | Lowland grassland                                                                   |                             |                                  |
| Status of priority species: distribution                          | Priority species distribution                                                       |                             |                                  |
| Status of priority species: relative abundance                    | Priority species abundance                                                          | 1970 to 2023                | 2018 to 2023                     |
| Status of threatened species: species of European importance      | Conservation status of species of European importance                               | 2007 to 2019                | 2013 to 2019                     |
| Area of land in agri-environment schemes                          | Area of land under higher-level or targeted agri-environment schemes                | 1992 to 2022                | 2017 to 2022                     |
| Extent and condition of protected areas                           | Total extent of protected areas on land                                             | 1950 to 2025                | 2020 to 2025                     |
|                                                                   | Condition of Areas or Sites of Special Scientific Interest                          |                             |                                  |
| Habitat connectivity                                              | Habitat connectivity                                                                |                             |                                  |
| Status of threatened habitats: habitats of European importance    | Conservation status of habitats of European importance                              | 2007 to 2019                | 2013 to 2019                     |
| Surface water status                                              | Percentage of UK surface water bodies in High or Good ecological status             | 2009 to 2024                | 2019 to 2024                     |
| Expenditure on UK and international biodiversity                  | Non-governmental organisation and private sector spending on biodiversity in the UK | 2010/2011 to 2023/2024      | 2018/2019 to 2023/2024           |
| Integration of biodiversity considerations into business activity | Proportion of medium and large UK businesses with ISO 14001 certification           |                             |                                  |
| Pressure from invasive species                                    | Number of terrestrial species establishments                                        | 1969 to 2024                |                                  |
|                                                                   | Number of freshwater species establishments                                         | 1969 to 2024                |                                  |
|                                                                   | Rate of establishment                                                               | 1920 to 2022                | 2017 to 2022                     |
| Awareness, understanding and support for conservation             | Awareness, understanding and support for conservation                               |                             |                                  |
| Status of pollinating insects                                     | Change in the distribution pollinators in the UK                                    |                             |                                  |
| Biodiversity data for decision making                             | Cumulative number of records in the National Biodiversity Network                   |                             |                                  |
|                                                                   | Number of publicly accessible records at 1 square kilometre resolution or better    |                             |                                  |
| Biodiversity information for conservation decision making         | Number of records downloaded                                                        |                             | 2019 to 2024                     |
|                                                                   | Number of download events                                                           |                             | 2019 to 2024                     |
|                                                                   | Number of NBN Atlas users                                                           |                             | 2019 to 2024                     |



### 3.5. Purpose

---

This BAP has been produced to demonstrate how the IDB fulfils its legal obligations to conserve and enhance biodiversity and sets out targets and actions that contribute to local, national and international strategies and policies.

While the IDB has a statutory duty to have regard for the environment whilst carrying out their functions, for example on or within drainage assets such as watercourses and their banks, the IDB has also to give consideration to how they can contribute to the enhancement of the wider environment.

It is not within the scope of this document to set out the IDBs' objectives and actions in relation to wider environmental topics, such as reducing carbon emissions or reducing waste. However, strategies to address such topics may be mentioned in connection to the enhancement of habitats and species, such as peatland restoration and carbon sequestration.

The opportunity to work together to support and enhance biodiversity in partnership with other organisations is sought wherever possible, as the IDB recognises the additional value working in such ways can bring to the overall objectives.

The intention is that biodiversity is fully integrated into the Board's activities, policies and procedures such as annual maintenance programmes, capital works projects, training and communications.

### 3.6. Vision

---

*The IDB's vision is:*

A drainage district where thriving wildlife is an integral part of delivering efficient and effective water-level management.

### 3.7. Aims

---

The aims of this BAP are:

- To ensure that opportunities for conservation and enhancement of biodiversity are fully considered throughout the IDB's operations;
- To enable more effective monitoring and reporting of progress and outcomes;
- To ensure that priority species and habitats receive effective action within defined targets within the drainage district;
- To identify targets and appropriate actions for other habitats and species of local importance within the drainage district. This includes invasive non-native species;
- To contribute to local environmental partnerships and strategies such as the Local Nature Recovery Strategies to ensure that programmes and priorities for biodiversity conservation are aligned and maintained in the long term;
- To raise awareness, within the IDB and locally, of the need for biodiversity conservation and reporting, and to communicate with the local and wider community about what actions the IDB is undertaking to support biodiversity.

## 4. The IDB BAP Process

### 4.1. The Biodiversity Audit

---

Middle Level Commissioners on behalf of Conington and Holme IDB has conducted a biodiversity audit of its drainage district (Figure 1) and identified those habitats and species that would benefit from particular management or actions by the IDB.

This audit focuses on nationally important priority habitats and species, that is to say those that have been deemed of 'principal importance' in England under the NERC Act 2006. However, those that are not priority species or habitats, but may be locally significant for a variety of reasons have also been considered. Invasive non-native species have also been included.

The information gathered, which is presented in later sections, has been used to develop this IDB's Biodiversity Action Plan.

### 4.2. Objectives and Actions

---

Conservation and enhancement **objectives** have been identified for each included habitat and species. The action plan then details individual **actions** required to achieve the objectives, and the associated monitoring and reporting of progress and impact.

In order for this BAP to be as effective as possible, the actions have been devised to be SMART (Specific, Measurable, Achievable, Relevant and Time-limited).

Procedural actions have also been considered allowing the Board to measure the way in which it considers and incorporates biodiversity across the whole range of its operations. These may involve changes to administrative, management and operating procedures.

### 4.3. Monitoring and Reporting

---

Monitoring is the on-going process of regularly collecting and analysing relevant information to determine whether the actions within the Plan are positively contributing towards the objectives, and to capture any additional benefit achieved. The Plan sets out how and when this monitoring will take place throughout the life of the plan.

The frequency and type of information reported is also defined by the Plan and includes the publication of progress reports in the public domain via the IDB's website and in accordance with the duty set out in the Environment Act 2021.

The overall plan will be updated at least every 5 years but as this is a dynamic document it may change more frequently. For example, in the light of routine monitoring or local strategy introductions, changes may be necessary to ensure an objective can be met.

## 5. The Biodiversity Audit

### 5.1. The Conington and Holme Internal Drainage District

---

The drainage district is located to the northwest of the Middle Level Area in the county of Cambridgeshire.

The following outlines the key details of the District:

- Total area of the drainage district: **1117 ha**
- Catchment area draining to and including the District: **2873 ha**
- Area of agricultural land: **1012 ha**
- Area of other (non-agricultural) land: **105 ha**


Assets for which the Board has operational responsibility:

- Water level control structures: 8
- Watercourses (maintained): 26 km
- Raised embankments: 0 km
- Reservoirs: N/A
- Sustainable drainage systems (SuDS): N/A
- Pumping Stations: 1
- Extent of “other” land owned: None

Assets within or adjacent to the District that are maintained by the Environment Agency:

- Main Rivers: 0 km
- Raised embankments/flood walls: 0 km
- Pumping Stations: N/A

## 5.2. Map of Audit Area (Drainage District)



**Figure 1: Map of Conington and Holme IDB District**

### 5.3. Geology & Soils

**Table 2:** Geology and Soils found within the Conington and Holme District

| Geology Layer       | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Related Map |
|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| Bedrock             | Oxford Clay Formation-Mudstone. These sedimentary rocks are shallow marine in origin. They are detrital, ranging from coarse- to fine-grained (locally with some carbonate content) forming interbedded sequences.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | N/A         |
| Superficial Geology | <p><b>East of the District:</b><br/>Peat. These sedimentary deposits are lacustrine and palustrine in origin. They comprise accumulated (and detrital) organic material, forming beds and lenses within lagoons, bogs and swamps.</p> <p><b>West of the District:</b><br/>Oadby Till Member-Diamicton. These sedimentary deposits are glacial in origin. They are detrital, created by the action of ice and meltwater, they can form a wide range of deposits and geomorphologies associated with glacial and inter-glacial periods during the Quaternary.</p>                                                                                                                                                                                                                     | N/A         |
| Soils               | <p><b>East of the District:</b><br/>Loamy and sandy soils with naturally high groundwater and a peaty surface with some fen peat soils.</p> <p><b>West of the District:</b><br/>Lime-rich loamy and clayey soils with impeded drainage</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Figure 2    |
| Peat                | <p>There are shallow to moderately deep peat deposits in the far eastern area of the district.</p> <p>The following sources have been interrogated:</p> <ul style="list-style-type: none"> <li>BGS Boreholes data - <a href="https://mapapps2.bgs.ac.uk/geoindex/home.html?layer=BGSBoreholes&amp;_ga=2.93480798.298319960.1728295174-1769537369.1728295174">https://mapapps2.bgs.ac.uk/geoindex/home.html?layer=BGSBoreholes&amp;_ga=2.93480798.298319960.1728295174-1769537369.1728295174</a></li> <li>England Peat Map - <a href="https://england-peat-map-portal-ncea.hub.arcgis.com/">https://england-peat-map-portal-ncea.hub.arcgis.com/</a></li> <li>Soil Surface Map (below) - <a href="#">LandIS - Land Information System - Soilsclapes soil types viewer</a></li> </ul> | Figure 3    |





Figure 2: Conington and Holme IDB map of soil types





**Figure 3:** Location and depth of peaty soils across the Conington and Holme District

## 5.4. Landscape Character

---

Natural England has divided the whole of England into a number of National Character Areas (NCA) based on characteristic landforms, wildlife and land use. For each NCA, there is a prepared profile that characterises the wildlife and natural features, identifies the influences that act upon those features and sets objectives for nature conservation.

Conington & Holme IDB sits across the Beds & Cambs NCA in the south and within the Fens NCA in the north as shown in figure 4 below. The NCA's have a number of environmental enhancement targets defined within them, called Statements of Environmental Opportunity, (SEO). As part of this BAP, these have been reviewed and those that can be influenced or controlled by the IDB have been included as part of the BAP objectives. The full list of environmental opportunities for both NCA's are included in Appendix I, but a summary is as follows:

### **The Fens Statements of Environmental Opportunity (SEO):**

- **SEO 1:** Manage the agricultural landscape and soils which allow the Fens to be a major provider of food and horticultural produce, while seeking to enhance opportunities for biodiversity.
- **SEO 2:** Manage the core wetland complexes and increase their connectivity by enhancing the main rivers, waterways and their associated riparian habitats and improve recreational access opportunities to the Fens.
- **SEO 3:** Plan for the creation of new coastal landscapes in the Wash area that are adapted and resilient to the impact of climate change, for the benefit of people and wildlife.
- **SEO 4:** Conserve, manage and enhance the Fens landscape and increase educational opportunities to access its geodiversity, archaeology and cultural heritage to enhance enjoyment and understanding for those who live and work in and visit the Fens.

### **Bedfordshire and Cambridgeshire Claylands Statements of Environmental Opportunity (SEO):**

- **SEO 1:** Maintain and manage a sustainable and productive claylands arable landscape, while managing, expanding and linking woodlands, hedgerows and other semi-natural habitats to benefit biodiversity, improve soil and water quality, and ameliorate climate change by promoting good agricultural practice.
- **SEO 2:** Protect aquifers and enhance the quality, state and structure of the River Great Ouse, its valley and tributaries, habitats, waterbodies and flood plain by seeking to enhance their ecological, historical and recreational importance while taking into account their contribution to sense of place and regulating water flow, quality and availability.
- **SEO 3:** Plan and create high-quality green infrastructure to help accommodate growth and expansion, linking and enhancing existing semi-natural habitats. Regenerate the post-industrial landscapes of the Forest of Marston Vale and Peterborough to improve and create new opportunities for biodiversity, recreation, timber and biomass provision while strengthening sense of place, tranquillity, resilience to climate change, and people's health and wellbeing.
- **SEO 4:** Protect, conserve and enhance the cultural heritage and tranquillity of the Bedfordshire and Cambridgeshire Claylands NCA, including its important geodiversity, archaeology, historic houses, parkland, and Second World War and industrial heritage, by improving interpretation and educational opportunities to increase people's enjoyment and understanding of the landscape.

## 5.5. Landscape Designations

N/A

## 5.6. Sites and Monuments

| Feature Name                                                                   | Designation                          | Desc.                                                                                                                                               | Features Relevant to IDB                                                                                                    |
|--------------------------------------------------------------------------------|--------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|
| Glatton Conservation Area & Various Listed Buildings                           | Conservation Area & Listed Buildings | <a href="https://www.huntingdonshire.gov.uk/conservation-areas">Conservation Areas - Huntingdonshire.gov.uk</a>                                     | Overlaps Node 72 and should be considered when planning works between 71 and 72.                                            |
| Gable Thatch                                                                   | Grade II Listed Building             | <a href="https://historicengland.org.uk/listing/the-list/list-entry/1215502">https://historicengland.org.uk/listing/the-list/list-entry/1215502</a> | Not near an IDB drain and unlikely to be impacted by any planned works.                                                     |
| Addison Arms Public House                                                      | Grade II Listed Building             | <a href="https://historicengland.org.uk/listing/the-list/list-entry/1215532">https://historicengland.org.uk/listing/the-list/list-entry/1215532</a> | Not near an IDB drain and unlikely to be impacted by any planned works.                                                     |
| White Roses                                                                    | Grade II Listed Building             | <a href="https://historicengland.org.uk/listing/the-list/list-entry/1215531">https://historicengland.org.uk/listing/the-list/list-entry/1215531</a> | Not near an IDB drain and unlikely to be impacted by any planned works.                                                     |
| Parish Boundary Post south of Woolpack Farm                                    | Grade II Listed Building             | <a href="https://historicengland.org.uk/listing/the-list/list-entry/1389469">https://historicengland.org.uk/listing/the-list/list-entry/1389469</a> | Not near an IDB drain and unlikely to be impacted by any planned works.                                                     |
| Range of livery stables and two granaries rear of Crown and Woolpack Farmhouse | Grade II Listed Building             | <a href="https://historicengland.org.uk/listing/the-list/list-entry/1309524">https://historicengland.org.uk/listing/the-list/list-entry/1309524</a> | Not near an IDB drain and unlikely to be impacted by any planned works.                                                     |
| Crown and Woolpack Farmhouse adjoining south side                              | Grade II Listed Building             | <a href="https://historicengland.org.uk/listing/the-list/list-entry/1130149">https://historicengland.org.uk/listing/the-list/list-entry/1130149</a> | Not near an IDB drain and unlikely to be impacted by any planned works.                                                     |
| Rectory Cottage<br>Yew Tree Cottage                                            | Grade II Listed Building             | <a href="https://historicengland.org.uk/listing/the-list/list-entry/1130147">https://historicengland.org.uk/listing/the-list/list-entry/1130147</a> | Within 100m of an IDB drain and may need to be considered when work is planned at Node 26.                                  |
| Otter Pond: moated site 200m west of Dewemede Farm                             | Scheduled Monument                   | <a href="https://historicengland.org.uk/listing/the-list/list-entry/1017882">https://historicengland.org.uk/listing/the-list/list-entry/1017882</a> | Not near an IDB drain and unlikely to be impacted by any planned works.                                                     |
| Deserted village N of Washingley Park                                          | Scheduled Monument                   | <a href="https://historicengland.org.uk/listing/the-list/list-entry/1006850">https://historicengland.org.uk/listing/the-list/list-entry/1006850</a> | Not near an IDB drain and unlikely to be impacted by any planned works.                                                     |
| Deserted village of Caldecote                                                  | Schedule Monument                    | <a href="https://historicengland.org.uk/listing/the-list/list-entry/1004644">https://historicengland.org.uk/listing/the-list/list-entry/1004644</a> | Not near an IDB drain and unlikely to be impacted by any planned works.                                                     |
| Bruce's Castle: moated site immediately east of Bruce's Castle Farm            | Scheduled Monument                   | <a href="https://historicengland.org.uk/listing/the-list/list-entry/1017844">https://historicengland.org.uk/listing/the-list/list-entry/1017844</a> | Not near an IDB drain and unlikely to be impacted by any planned works.                                                     |
| Various other Listed Buildings                                                 | Various Listed Buildings             | <a href="https://www.huntingdonshire.gov.uk/listed-buildings">Listed Buildings - Huntingdonshire.gov.uk</a>                                         | Various listed buildings within the district fall >200m from an IDB drain and are unlikely to be impacted by planned works. |



# Conington and Holme Internal Drainage Board – Biodiversity Action Plan 2026 – 2031





Figure 4: Map of Conington and Holme IDB within the Fens & Bed & Cambs Claylands NCA

# Conington and Holme Internal Drainage Board – Biodiversity Action Plan 2026 – 2031



**Figure 5:** Map of heritage features within Conington and Holme IDB area.







## 5.8. Statutory Nature Conservation Sites

### 5.8.1 Internationally Designated Sites

N/A

### 5.8.2 Nationally Designated Sites

There are no SSSIs within the district, however it is in close proximity to both the Holme Fen and Woodwalton Fen SSSIs and Impact Risk Zones for both sites should be considered when planning works within the eastern area of the district as statutory advice may be present. Further information can be found within the SSSI citations for each site and details of Impact Risk Zones is included in the Appendix.

### 5.8.3 Local Nature Reserves (LNR)

N/A

### 5.8.4 Non-statutory Nature Conservation Sites (Table 3)

| Site Name                       | Assoc. WLMP?* | Desc.                                                                                                               | Features Relevant to IDB                                                                         |
|---------------------------------|---------------|---------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|
| Conington Fen Drains CWS        | N             | Supports more than five species of submerged, floating and emergent vegetation per 20m stretch.                     | The IDB drains themselves are the designated feature and management should be sensitive to this. |
| North Wood CWS                  | N             | Woodland listed in the Cambridgeshire Inventory of Ancient Woodland which retains more than 25% semi-natural cover. | Within the Highland Area. Not connected to or near an IDB ditch.                                 |
| Fir Dale Lake and Fishponds CWS | N             | Supports at least 0.5ha of NVC community W2 (grey willow - downy birch - common reed) woodland.                     | Within the Highland Area. Not connected to or near an IDB ditch.                                 |
| Caldecote CWS                   | N             | Listed in the Cambridgeshire Inventory of Ancient Woodland that retains more than 25% semi-natural cover.           | Within the Highland Area. Not connected to or near an IDB ditch.                                 |

Conington and Holme Internal Drainage Board – Biodiversity Action Plan 2026 – 2031




Figure 7: Protected areas within and surrounding the Conington and Holme IDB district.

## 5.9. Habitat Audit Summary

This habitat audit summary lists the UK and priority habitats that occur within the drainage district. A map of the priority habitats polygons within the district are shown in Figure 8. Linear and more general priority habitats are not mapped. Brief notes are included on the potential for the IDB to maintain, restore or expand the habitats present. its important habitats.

**Table 4:** Habitat Audit Summary

| National Priority Habitat | National Status & Extent                                                                                        | Habitat classification                                                                          | National Targets                                                                                                                                               | Local Priority Habitat | Local Status and Extent                                                                  | Local Targets                                                                                                                                                                                                       | IDB Potential for Maintaining, Restoring or Expanding Habitat (high/medium/low)                                                                                                                                                                        |
|---------------------------|-----------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Deciduous Woodlands       | 967,000 ha in England                                                                                           | <b>BNG:</b> Woodland<br><b>UKHab:</b> W1f7 Lowland mixed deciduous woodland                     | By 2050 achieve a minimum of 16.5% of land covered by woodland/trees outside woodland<br><br>Annual planting of 30,000 hectares (ha) of new woodland per year. | Woodland (LNRS)        | 145.32 ha recorded in the district.                                                      | <b>Wo1</b> - better manage woodlands to improve resilience and structural diversity.<br><b>Wo3</b> - expand and connect existing areas of woodland to increase woodland biodiversity and help combat climate change | <b>Med</b> – Habitats adjacent to IDB ditches so could be influenced by water levels but are privately owned. Look for opportunities to support and encourage the favourable management of the habitat including via complimentary channel management. |
| No Main Habitat           | N/A                                                                                                             | A “main” habitat type cannot be assigned but potentially significant habitats are still present | Protecting 30% of land and sea by 2030                                                                                                                         | Habitat Mosaic (LNRS)  | 24.01 ha recorded within the district. Additional habitats predominantly woodland ponds. | <b>M1</b> - Improve the diversity of habitats at a landscape and site-scale to increase the diversity and abundance of species and make them more resilient to climate change.                                      | <b>Low</b> – Not on land owned or managed by the IDB. Use IDB networks to encourage its retention, favourable management and support its expansion/improvement if appropriate.                                                                         |
| Lowland Fens              | Estimated 25,785 ha remain in England, predominately in East Anglia, the Broads and Anglesey, highly fragmented | <b>BNG:</b> Lowland Fens (Wetland)<br><b>UKHab:</b> Lowland Fens f2a                            | Aim to meet priority habitat definition for lowland raised bog and ‘good condition’ as per BNG habitat condition assessments.                                  | Wetland (LNRS)         | 3.38 ha on the north-eastern boundary of the district, near Holme.                       | <b>We3</b> - enhance and create floodplain wet grassland sites to better support breeding and wintering wetland birds                                                                                               | <b>Med</b> – Habitats adjacent to IDB ditches so could be influenced by water levels but are privately owned. Look for opportunities to support and encourage the favourable management of the habitat including via complimentary channel management. |

Conington and Holme Internal Drainage Board – Biodiversity Action Plan 2026 – 2031

|                      |                              |                                                                                  |                                                                                                   |                                                 |                                         |                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                         |
|----------------------|------------------------------|----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|-------------------------------------------------|-----------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Traditional Orchard  | 24,600 to 27,000 ha          | <b>BNG:</b> Traditional Orchard<br><b>UKHab:</b> Grassland – Traditional Orchard | 4,700 hectares of traditional orchards to be created or brought into favourable condition (25YEP) | Woodland (LNRS)                                 | Very small and fragmented, locally rare | <b>W0 8</b> - Improve the management of traditional orchards and seek to expand them where possible.                                                                                                                             | <b>Low</b> – Not water level management sensitive or within the Boards influence.                                                                                                                                                                       |
| Rivers & Streams     | n/a                          | Fen Main Drains and drainage ditches                                             | WFD - Improving at least 75% of waters to Good Ecological Status or Potential by 2027             | Rivers, chalk streams & drainage ditches (LNRS) | Locally abundant                        | <b>RD5</b> - enhance the network of fenland farm drainage ditches by providing habitat buffers and improving water quality                                                                                                       | <b>High</b> – Manage ditches according to best practice & SOPs to maximise opportunities for biodiversity                                                                                                                                               |
| Arable Field Margins | N/A                          | <b>UKHab:</b> C1a Arable field margins                                           |                                                                                                   | Farmed Landscape (LNRS)                         | Locally abundant                        | <b>F1</b> - Increase the presence and quality of biodiversity rich arable field margins around farmland to improve the diversity of farmland species and provide habitat that is connected and more resilient to climate change. | <b>Med</b> – Encourage landowners in IDB network to establish good quality stewardship field margins                                                                                                                                                    |
| Hedgerows            | Approx. 390,000km in England | <b>BNG:</b> Hedgerow<br><b>UK Hab:</b> Native Hedgerow H2                        | Create or restore 30,000 miles of hedgerows by 2037 and 45,000 miles by 2050.                     | Farmed Landscape (LNRS)                         | Locally occasional                      | <b>F4</b> - Increase the presence of hedgerows around farmland to control run-off, improve the abundance and diversity of farmland species and provide habitat that is connected and more resilient to climate change            | <b>Med</b> – Retain hedgerows within IDB control and manage favourably. Encourage the retention and favourable management of hedgerows on private and community land. Identify opportunities for hedgerow creation and/or gapping up where appropriate. |

Conington and Holme Internal Drainage Board – Biodiversity Action Plan 2026 – 2031




Figure 8: Map of priority habitats within the Conington and Holme IDB district.



Conington and Holme Internal Drainage Board – Biodiversity Action Plan 2026 – 2031




Figure 9: Countryside and Environmental Stewardship provisions within Conington and Holme IDB.

## Conington and Holme Internal Drainage Board – Biodiversity Action Plan 2026 – 2031

The Local Nature Recovery Strategy (LNRS) for Cambridgeshire, published on the 23<sup>rd</sup> of December 2025, identifies a number of additional habitats that are of importance for conservation and creation within Cambridgeshire. There is potential for some such habitats to be created or restored within the IDB District. Those which could be directly influenced and/or supported by the Boards' activities have been mapped in the LNRS in Figure 10 and/or are detailed in the below table.


**Table 5:** LNRS habitats prioritized for action that are relevant to IDB Activities

| LNRS Priority Habitat | Local Targets                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | IDB Potential for Supporting / Influencing Habitat (high/medium/low)                                                                                                                                                                                                                                      |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Rivers & Streams      | <p><b>RD4B</b> – Within corridors 50 metres either side of the fen main drains, create wetland stepping-stone habitats including, reedbeds, fens, wet grassland, ponds and open water features (taking into account the 20 metre IDB bylaw maintenance corridors).</p> <p><b>RD5A</b> – maximise opportunities for nature in fen drainage ditches by choosing nature-supporting and enhancing maintenance and management approaches such as enhancing in channel habitats to provide more habitat for wetland wildlife alongside managing flood risk and water levels.</p> <p><b>RD5B</b> – establish uncultivated riparian buffer zones at least 15 metres wide from the top of the bank (including the 9-metre internal drainage board bylaw maintenance corridor). Plant or promote low growing, non-woody vegetation such as diverse grasses or wet grassland mixes that are compatible with regular ditch maintenance operations, to provide habitats for nature</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | <p><b>High</b> –Encourage and support landowners in IDB network to create and maintain riparian buffers. Manage IDB ditches according to the SOPs and best practice to maximise opportunities for wildlife.</p>                                                                                           |
| Fen Droves (LNRS)     | <p><b>U3B</b>– Map the locations of fen droves and identify remaining biodiversity hotspots, including for locally significant species such as elms and scarce invertebrate species.</p> <p><b>F4B</b> - Identify all fen droves with important populations of elms or assemblages of invertebrate species and prioritise the protection and enhancement of the hedgerows and associated grasslands.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | <p><b>High</b> – Use local knowledge within IDBs to map and identify ownership, provenance and status. Encourage and support landowners in IDB network to retain, survey, protect and enhance, particularly those adjacent to IDB drains or used to access and/or maintain IDB drains.</p>                |
| Woodlands             | <p><b>Wo3A</b> – improve biodiversity by creating mixed deciduous woodland consisting of appropriate native or climate change tolerant (European only) species to increase resilience and diversity. Such newly created woodlands are to be within 2.5 kilometres of existing woodland, though in practice should be much closer (ideally within 500 metres). Newly created woods would ideally form a woodland block (or group of woodlands within 200 metres of each other) which are at least 40 hectares in size. Woodland creation would be expected over approximately 80% of the site area mapped under this measure, with the remaining 20% a mosaic of other complementary habitats such as species-rich grassland, scrub, ponds, and individual trees.</p> <p><b>Wo1A</b> – enhance the management of unmanaged woodlands with a minimum size of 1 hectare to UK Forestry Standards to achieve a varied structure and greater diversity.</p> <p><b>Wo3B</b> – Deliver wider environmental benefits through tree and woodland planting in appropriate locations such as upper catchments, adjacent to rivers and within and adjacent to centres of population. Planting in upper catchments and adjacent to rivers helps enhance water quality and reduce flood risk. Planting within and adjacent to urban areas can help to enhance air quality, contribute urban cooling, reduce flood risk and promote health &amp; well-being. Planting sites should ideally be a minimum of 0.5 hectares but may be smaller within urban areas.</p> | <p><b>Low</b> – not on IDB-owned land and unlikely to be influenced by Board Activities. However, the Board may identify and encourage opportunities for tree planting, particularly on the highland where better tree cover will help infiltration and slow surface water flows into the IDB system.</p> |

Conington and Holme Internal Drainage Board – Biodiversity Action Plan 2026 – 2031

| LNRS<br>Priority<br>Habitat | Local Targets                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | IDB Potential for Supporting / Influencing Habitat<br>(high/medium/low)                                                                                                                                                                                                                                              |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Grassland                   | <p><b>G3A</b> – deliver wider environmental benefits such as runoff reduction, water quality enhancement and potential access to nature, by creating species-rich grasslands in appropriate locations.</p> <p><b>G2B</b> – improve biodiversity by creating species-rich neutral grassland adjoining to, and up to 500 metres from, existing designated and other neutral grassland sites. There is no minimum size threshold, but larger sites are preferable (in combination with other complementary habitats) and there should be a realistic ambition for site to become priority habitat in the future.</p> | <p><b>Low</b> – not on IDB land but supporting and encouraging riparian landowners to create or enhance species-rich grassland along IDB watercourses, even as a buffer strip, may help to improve the quality of runoff reaching IDB drains and would help to improve habitat connectivity across the district.</p> |

## Conington and Holme Internal Drainage Board – Biodiversity Action Plan 2026 – 2031



**KEY:** ■ = Woodland, ■ = Grassland, ■ = Wetland Mosaic, ■ = Rivers & streams

**Figure 10.** Mapped Priority Habitat Action Opportunities as detailed in the Cambridgeshire LNRS (published: 23<sup>rd</sup> December 2025) in Conington and Holme IDB, available from this link: [Local Nature Recovery Strategy](https://www.cambridgeshire.gov.uk/residents/climate-change-energy-and-environment/improving-the-natural-environment/cambridgeshire-and-peterborough-local-nature-recovery-strategy#local-nature-recovery-strategy-published-5-0) or <https://experience.arcgis.com/experience/a1963a7dc51c4c259a8d19832b63f461>  
<https://www.cambridgeshire.gov.uk/residents/climate-change-energy-and-environment/improving-the-natural-environment/cambridgeshire-and-peterborough-local-nature-recovery-strategy#local-nature-recovery-strategy-published-5-0>

## 5.10. Species Audit Summary

There are 190 protected, priority or other notable species that have previously been recorded within the district, as reported by the Local Environmental Records Centre (LERC). Of these, 105 species are associated with the habitats the Board manages and so could be influenced by the Boards' activities. A table listing these species is provided below.

**Table 6:** Rare, protected, notable and priority species previously recorded within the drainage district:

| Taxon | Common Name    | Scientific Name            | Conservation Status  | Potential for IDBs to influence                                                                                                                                                                                                                                                                                                                                                                                                          | Species Info                                                                                                                                                                                                                                                                                                                                             |
|-------|----------------|----------------------------|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Bird  | Barn Owl       | <i>Tyto alba</i>           | CPASI, WCA1i, LNRS   | Yes. Manage existing boxes, fund and install new ones where necessary and support box surveys. Retain areas of taller bank veg to support small mammals.                                                                                                                                                                                                                                                                                 | Species is still under threat from a range of factors relating to agricultural intensification and urbanisation. Erect and manage Barn Owl Boxes.                                                                                                                                                                                                        |
|       | Lapwing        | <i>Vanellus vanellus</i>   | Sect.41, UKBAP, LNRS | Limited. Promote uptake of environmental stewardship riparian buffer strip options to provide insect-rich foraging near nest sites.                                                                                                                                                                                                                                                                                                      | Ground nester in farmland. One of the most strongly declining birds in Europe but Cambs. is a stronghold                                                                                                                                                                                                                                                 |
|       | Grey Partridge | <i>Perdix perdix</i>       | Sect.41, UKBAP, LNRS | Limited. Promote uptake of environmental stewardship riparian buffer strip options. Record sightings.                                                                                                                                                                                                                                                                                                                                    | Localised breeding species in the county, with the main populations in Cambs. in the South Cambs. chalk areas. Promote Environmental stewardship alongside IDB drains for a number of reasons                                                                                                                                                            |
|       | Corn Bunting   | <i>Emberiza calandra</i>   | Sect.41, UKBAP, LNRS | Moderate. Rotationally manage ditch vegetation to maximise diversity which will support better numbers of inverts for chick food. Encourage cereal retention options in stewardship agreements next to ditches. Record sightings.                                                                                                                                                                                                        | A key farmland indicator species. Has had a dramatic decline nationally and has been lost from many areas of the county but still remains in good numbers locally. Availability of invertebrates in summer and seeds in the winter are key to its abundance. Manage ditch vegetation to maximise diversity which will support better numbers of inverts. |
|       | Kingfisher     | <i>Alcedo atthis</i>       | WCA1i, LNRS          | Yes. Check and maintain artificial nest sites. Retain bank-side trees / scrub as fishing perches and as a refuge for small fish which the bird eats. Record sightings.                                                                                                                                                                                                                                                                   | Check and maintain artificial nest sites. Retain bank-side trees / scrub as fishing perches and as a refuge for small fish which the bird eats.                                                                                                                                                                                                          |
|       | Turtle Dove    | <i>Streptopelia turtur</i> | Sect.41, UKBAP, LNRS | Yes. Retain dense mature scrub stands i.e. bramble near water and manage extent rather than remove. Retain bankside trees and pollard rather than remove. Retain marginal and bank vegetation as much as possible and cut banks rotationally outside of bird nesting season. Trim hedges outside bird nesting season. Encourage farmers to establish stewardship margins alongside hedgerows and ditches for foraging. Record sightings. | Hedge & scrub nesters                                                                                                                                                                                                                                                                                                                                    |
|       | Swift          | <i>Apus apus</i>           | CPASI, LNRS          | Yes. Fund nest boxes and manage ditches to provide insect-rich foraging near nest sites.                                                                                                                                                                                                                                                                                                                                                 | Associated with buildings for nesting but may forage along drains and margins                                                                                                                                                                                                                                                                            |
|       | Cuckoo         | <i>Cuculus canorus</i>     | Sect.41, UKBAP       | Retain marginal and bank vegetation as much as possible and cut banks rotationally outside of bird nesting season. Encourage farmers to establish stewardship margins alongside hedgerows and ditches for foraging. Maximise plant diversity for invertebrate abundance. Record sightings.                                                                                                                                               | Will often use a reed warbler's nest to lay and egg for them to raise so can be present in nests in reeds.                                                                                                                                                                                                                                               |



Conington and Holme Internal Drainage Board – Biodiversity Action Plan 2026 – 2031

|                 |                            |                                    |                                  |                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                 |
|-----------------|----------------------------|------------------------------------|----------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Bird            | Yellowhammer               | <i>Emberiza citrinella</i>         | Sect. 41, UKBAP                  | Retain marginal and bank vegetation as much as possible and cut banks rotationally outside of bird nesting season. Encourage farmers to establish stewardship margins alongside hedgerows and ditches for foraging. Maximise plant diversity for invertebrate abundance. Record sightings.                                                                                                                  | Ground, or near to, nesting birds with broods into late August. Favour ditch edges and grass margins.                                                                           |
|                 | Duncock                    | <i>Prunella modularis</i>          | Sect. 41, UKBAP                  |                                                                                                                                                                                                                                                                                                                                                                                                             | Hedge & scrub nesters                                                                                                                                                           |
|                 | Linnet                     | <i>Linaria cannabina</i>           | Sect. 41, UKBAP                  |                                                                                                                                                                                                                                                                                                                                                                                                             | Ground & low scrub/hedge nesters                                                                                                                                                |
|                 | House Sparrow              | <i>Passer domesticus</i>           | Sect. 41, UKBAP                  |                                                                                                                                                                                                                                                                                                                                                                                                             | Dense hedge nesters                                                                                                                                                             |
|                 | Redwing                    | <i>Turdus iliacus</i>              | WCA1i                            |                                                                                                                                                                                                                                                                                                                                                                                                             | Hedge & scrub nesters                                                                                                                                                           |
|                 | Song Thrush                | <i>Turdus philomelos</i>           | Sect. 41, UKBAP                  |                                                                                                                                                                                                                                                                                                                                                                                                             | Nest low in hedges and scrub                                                                                                                                                    |
|                 | Quail                      | <i>Coturnix coturnix</i>           | WCA1i                            | Limited. Encourage establishment and retention of arable margins.                                                                                                                                                                                                                                                                                                                                           | Spring and summer visitors favouring arable farmland and open grassland.                                                                                                        |
|                 | Yellow Wagtail             | <i>Motacilla flava</i>             | Sect. 41, UKBAP                  | Retain marginal and bank vegetation as much as possible and cut banks rotationally outside of bird nesting season. Encourage farmers to establish stewardship margins alongside hedgerows and ditches for foraging. Maximise plant diversity for invertebrate abundance. Record sightings.                                                                                                                  | Ground nesters in damp channel margins and banks and agricultural margins.                                                                                                      |
|                 | Bullfinch                  | <i>Pyrrhula pyrrhula</i>           | Sect. 41, UKBAP                  |                                                                                                                                                                                                                                                                                                                                                                                                             | Dense hedge and scrub nesters                                                                                                                                                   |
|                 | Whooper Swan               | <i>Cygnus cygnus</i>               | WCA1i                            | Limited. Identify opportunities to support wetland creation and conservation.                                                                                                                                                                                                                                                                                                                               | Overwintering population in the Fens. Sensitive to wetland loss and modification.                                                                                               |
|                 | Tree Sparrow               | <i>Passer montanus</i>             | Sect. 41, UKBAP                  | Retain marginal and bank vegetation as much as possible and cut banks rotationally outside of bird nesting season. Encourage farmers to establish stewardship margins alongside hedgerows and ditches for foraging. Maximise plant diversity for invertebrate abundance. Record sightings.                                                                                                                  | Hedge & scrub nesters                                                                                                                                                           |
|                 | Lesser Redpoll             | <i>Acanthis cabaret</i>            | Sect. 41, UKBAP                  |                                                                                                                                                                                                                                                                                                                                                                                                             | Tree nester in wet woodlands                                                                                                                                                    |
|                 | Spotted Flycatcher         | <i>Muscicapa striata</i>           | Sect. 41, UKBAP                  |                                                                                                                                                                                                                                                                                                                                                                                                             | Dense hedge and scrub nesters                                                                                                                                                   |
|                 | Hobby                      | <i>Falco subbuteo</i>              | WCA1i                            |                                                                                                                                                                                                                                                                                                                                                                                                             | Tree nesters hunting across open habitats                                                                                                                                       |
|                 | Marsh Harrier              | <i>Circus aeruginosus</i>          | WCA1i                            |                                                                                                                                                                                                                                                                                                                                                                                                             | Ground-nesters using reedbeds and grassy margins                                                                                                                                |
|                 | Reed Bunting               | <i>Emberiza schoeniclus</i>        | Sect. 41, UKBAP                  |                                                                                                                                                                                                                                                                                                                                                                                                             | Ground, or near to, nesting birds with broods into late August. Favour ditch edges and grass margins.                                                                           |
|                 | Bewick's Swan              | <i>Cygnus columbianus bewickii</i> | Sect. 41, UKBAP, WCA1i           | Limited. Identify opportunities to support wetland creation and conservation.                                                                                                                                                                                                                                                                                                                               | Overwintering population in the Fens. Sensitive to wetland loss and modification.                                                                                               |
| Flowering Plant | Water-violet               | <i>Hottonia palustris</i>          | CPASI, RLENG. VU, RLGB. VU, LNRS | Yes. Maintain a programme of rotational bank cutting and desilting little and often to support aquatic, marginal and terrestrial plants. Where found, and/or diversity is high, identify the historic management regime and maintain it as closely as possible to retain valuable species or make informed improvements to regime to enhance the stand. Look for in surveys, record presence & inform LERC. | Found in still, shallow, base-rich, clear and not eutrophic waterbodies so it is a positive indicator. Found in fenland drains, although has declined here. Look for in surveys |
|                 | Large-flowered Hemp-nettle | <i>Galeopsis speciosa</i>          | RLENG. VU, RLGB. VU, LNRS        |                                                                                                                                                                                                                                                                                                                                                                                                             | Found in peaty fields and disturbed fen. Look out for in surveys                                                                                                                |

Conington and Holme Internal Drainage Board – Biodiversity Action Plan 2026 – 2031

|                 |                            |                                   |                              |                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                    |
|-----------------|----------------------------|-----------------------------------|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Flowering Plant | Pepper-saxifrage           | <i>Silene silaus</i>              | CPASI, LNRS                  | Yes. Maintain a programme of rotational bank cutting and desilting little and often to support aquatic, marginal and terrestrial plants. Where found, and/or diversity is high, identify the historic management regime and maintain it as closely as possible to retain valuable species or make informed improvements to regime to enhance the stand. Look for in surveys, record presence & inform LERC. | Strong indicator of old species-rich grassland, especially damp grassland. Many populations are small and so are under threat from a lack of appropriate management and potentially development where sites are not protected. Look for in surveys |
|                 | Fen Pondweed               | <i>Potamogeton coloratus</i>      | CPASI, NS, LNRS              |                                                                                                                                                                                                                                                                                                                                                                                                             | Fenland is the British stronghold. Shallow calcareous water. Most records in the Wicken and Whittlesey areas. Wetland habitats such as ponds and drains. All IDB surveys                                                                           |
|                 | Dwarf Spurge               | <i>Euphorbia exigua</i>           | CPASI, RLENG.VU, RLGB.VU     |                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                    |
|                 | Shining Pondweed           | <i>Potamogeton lucens</i>         | CPASI                        |                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                    |
|                 | Whorled Water-milfoil      | <i>Myriophyllum verticillatum</i> | CPASI, RLENG.Lr(NT), RLGB.VU |                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                    |
|                 | Fine-leaved Water-dropwort | <i>Oenanthe aquatica</i>          | CPASI                        |                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                    |
|                 | Marsh Dock                 | <i>Rumex palustris</i>            | CPASI                        |                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                    |
|                 | Greater Bladderwort        | <i>Utricularia vulgaris</i>       | CPASI                        |                                                                                                                                                                                                                                                                                                                                                                                                             | Free-floating, insectivorous perennial herbs of still or sluggish, acidic to basic, nutrient-poor waters over inorganic or peaty substrates.                                                                                                       |
|                 | Field Pepperwort           | <i>Lepidium campestre</i>         | RLENG.Lr(NT)                 | Limited. Encourage establishment and retention of arable margins.                                                                                                                                                                                                                                                                                                                                           | Open grassland/arable specialist favouring sandy/gravelly soils.                                                                                                                                                                                   |
|                 | Dittander                  | <i>Lepidium latifolium</i>        | NS                           | Yes. Maintain a programme of rotational bank cutting and desilting little and often to support aquatic, marginal and terrestrial plants. Where found, and/or diversity is high, identify the historic management regime and maintain it as closely as possible to retain valuable species or make informed improvements to regime to enhance the stand. Look for in surveys, record presence & inform LERC. |                                                                                                                                                                                                                                                    |
|                 | Cat-mint                   | <i>Nepeta cataria</i>             | CPASI, RLENG.VU, RLGB.VU     | Limited. Encourage establishment and retention of arable margins.                                                                                                                                                                                                                                                                                                                                           | Winter-green perennial herb favouring chalky soil in arable margins, verges, hedgebanks and wasteland.                                                                                                                                             |
|                 | Strawberry Clover          | <i>Trifolium fragiferum</i>       | CPASI, RLENG.VU, RLGB.VU     | Yes. Maintain a programme of rotational bank cutting and desilting little and often to support aquatic, marginal and terrestrial plants. Where found, and/or diversity is high, identify the historic management regime and maintain it as closely as possible to retain valuable species or make informed improvements to regime to enhance the stand. Look for in surveys, record presence & inform LERC. |                                                                                                                                                                                                                                                    |

Conington and Holme Internal Drainage Board – Biodiversity Action Plan 2026 – 2031

|                              |                          |                              |                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                        |
|------------------------------|--------------------------|------------------------------|------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Flowering Plant              | Field Woundwort          | <i>Stachys arvensis</i>      | <i>RLENG.Lr(NT),<br/>RLGB.Lr(NT)</i>     | Yes. Encourage re-establishment or spread by maintenance of a programme of rotational bank cutting and desilting little and often to support aquatic, marginal and terrestrial plants. Where found, and/or diversity is high, identify the historic management regime and maintain it as closely as possible to retain valuable species or make informed improvements to regime to enhance the stand. Look for in surveys, record presence & inform LERC. | <i>An annual herb, found most frequently as a weed on arable margins, also along tracks and paths, in allotments and gardens, on waste ground and on road verges, usually on non-calcareous soils</i>                                                                                                                                                  |
|                              | Greater Burnet-saxifrage | <i>Pimpinella major</i>      | <i>CPASI</i>                             | Limited. Look for presence in surveys and report to LERC.                                                                                                                                                                                                                                                                                                                                                                                                 | <i>perennial herb of basic soils derived from chalk and limestone, but also on clay, and most often found on roadsides, hedge banks, railway banks and wood edges, sometimes persisting on roadsides when neighbouring woods have been removed and very occasionally spreading on verges where any woods were felled centuries ago, as in Fenland.</i> |
|                              | Marsh Sow-thistle        | <i>Sonchus palustris</i>     | <i>CPASI, NS</i>                         | Yes. Maintain a programme of rotational bank cutting and desilting little and often to support aquatic, marginal and terrestrial plants. Where found, and/or diversity is high, identify the historic management regime and maintain it as closely as possible to retain valuable species or make informed improvements to regime to enhance the stand. Look for in surveys, record presence & inform LERC.                                               |                                                                                                                                                                                                                                                                                                                                                        |
|                              | Chicory                  | <i>Cichorium intybus</i>     | <i>RLENG.VU</i>                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                        |
|                              | Stinking Chamomile       | <i>Anthemis cotula</i>       | <i>RLENG.VU,<br/>RLGB.VU</i>             |                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                        |
| Insect - Beetle (Coleoptera) | Adonis' Ladybird         | <i>Hippodamia variegata</i>  | <i>Nb</i>                                | Yes. Invertebrates use a wide range of plants as hosts for their larval stage and for feeding and egg laying in their adult stages. Aim to create and maintain the most diverse sward possible on banks, channel margins and in channel to support them by following a rotational vegetation management regime. Retain trees, hedgerows and scrub and plant more where possible. Look for in surveys, record presence & inform LERC.                      | <i>Dry, rough vegetation in open, sunny environments.</i>                                                                                                                                                                                                                                                                                              |
|                              | Squamapion cineraceum    | <i>Squamapion cineraceum</i> | <i>Na</i>                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                           | <i>Requires rotational disturbance to maintain open conditions with self-heal present.</i>                                                                                                                                                                                                                                                             |
|                              | Olibrus pygmaeus         | <i>Olibrus pygmaeus</i>      | <i>Nb</i>                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                           | <i>The adults feed on pollen and have been recorded from marshland, probably also grassland and disturbed ground</i>                                                                                                                                                                                                                                   |
|                              | Stenus pusillus          | <i>Stenus pusillus</i>       | <i>Nb</i>                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                           | <i>Favours wetland environments.</i>                                                                                                                                                                                                                                                                                                                   |
|                              | Wheat Mud Beetle         | <i>Helophorus nubilus</i>    | <i>NS</i>                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                           | <i>The majority of Helophorus species adults are aquatic live on the periphery of rivers and streams as well as stagnant bodies of water or pools.</i>                                                                                                                                                                                                 |
| Insect - Butterfly           | Grizzled Skipper         | <i>Pyrgus malvae</i>         | <i>RLGB.VU, Sect.41,<br/>UKBAP, LNRS</i> |                                                                                                                                                                                                                                                                                                                                                                                                                                                           | <i>Active management is needed to maintain suitable habitat where the suitable food plants grow (such as Creeping Cinquefoil, Agrimony and Wild Strawberry). Relatively open, patchy grassland seems to be preferred where there is some periodic disturbance. This includes land by railway lines and brownfield sites.</i>                           |
|                              | Small Heath              | <i>Coenonympha pamphilus</i> | <i>RLGB.Lr(NT),<br/>Sect.41, UKBAP</i>   |                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                        |
|                              | Wall                     | <i>Lasiommata megera</i>     | <i>RLGB.Lr(NT),<br/>Sect.41, UKBAP</i>   |                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                        |

Conington and Holme Internal Drainage Board – Biodiversity Action Plan 2026 – 2031

|                              |                              |                                 |                      |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                        |
|------------------------------|------------------------------|---------------------------------|----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| Insect - Dragonfly (Odonata) | Scarce Chaser                | <i>Libellula fulva</i>          | RLGB.Lr(NT)          |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                        |
| Insect - Moth                | White-spotted Pinion         | <i>Cosmia diffinis</i>          | Sect.41, UKBAP, LNRS | Yes. Invertebrates use a wide range of plants as hosts for their larval stage and for feeding and egg laying in their adult stages. Aim to create and maintain the most diverse sward possible on banks, channel margins and in channel to support them by following a rotational vegetation management regime. Retain trees, hedgerows and scrub and plant more where possible. Look for in surveys, record presence & inform LERC. | Caterpillar feeds on elms. Disappearing from almost all its range except Cambs., which now comprises over three-quarters of its current British range. |
|                              | Latticed Heath               | <i>Chiasmia clathrata</i>       | Sect.41, UKBAP       |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                        |
|                              | Cinnabar                     | <i>Tyria jacobaeae</i>          | Sect.41, UKBAP       |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                        |
|                              | Grey Dagger                  | <i>Acronicta psi</i>            | Sect.41, UKBAP       |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                        |
|                              | Dusky Brocade                | <i>Apamea remissa</i>           | Sect.41, UKBAP       |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                        |
|                              | Large Nutmeg                 | <i>Apamea anceps</i>            | Sect.41, UKBAP       |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                        |
|                              | Mottled Rustic               | <i>Caradrina morpheus</i>       | Sect.41, UKBAP       |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                        |
|                              | Blood-vein                   | <i>Timandra comae</i>           | Sect.41, UKBAP       |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                        |
|                              | Beaded Chestnut              | <i>Agrochola lychnidis</i>      | Sect.41, UKBAP       |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                        |
|                              | Centre-barred Sallow         | <i>Atethmia centrargo</i>       | Sect.41, UKBAP       |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                        |
|                              | Dot Moth                     | <i>Melanchra persicariae</i>    | Sect.41, UKBAP       |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                        |
|                              | Small Square-spot            | <i>Diarsia rubi</i>             | Sect.41, UKBAP       |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                        |
|                              | Rustic                       | <i>Hoplodrina blanda</i>        | Sect.41, UKBAP       |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                        |
|                              | Mouse Moth                   | <i>Amphipyra tragopoginis</i>   | Sect.41, UKBAP       |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                        |
|                              | White Ermine                 | <i>Spilosoma lubricipeda</i>    | Sect.41, UKBAP       |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                        |
|                              | Buff Ermine                  | <i>Spilosoma lutea</i>          | Sect.41, UKBAP       |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                        |
|                              | Shoulder-striped Wainscot    | <i>Leucania comma</i>           | Sect.41, UKBAP       |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                        |
|                              | Dark-barred Twin-spot Carpet | <i>Xanthorhoe ferrugata</i>     | Sect.41, UKBAP       |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                        |
|                              | Garden Tiger                 | <i>Arctia caja</i>              | Sect.41, UKBAP       |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                        |
|                              | Lackey                       | <i>Malacosoma neustria</i>      | Sect.41, UKBAP       |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                        |
| Insect - Moth                | Small Phoenix                | <i>Ecliptopera silaceata</i>    | Sect.41, UKBAP       |                                                                                                                                                                                                                                                                                                                                                                                                                                      | Assoc. with willowherb so riverbanks                                                                                                                   |
|                              | Garden Dart                  | <i>Euxoa nigricans</i>          | Sect.41, UKBAP       |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                        |
|                              | Brindled Beauty              | <i>Lycia hirtaria</i>           | Sect.41, UKBAP       |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                        |
|                              | Shaded Broad-bar             | <i>Scotopteryx chenopodiata</i> | Sect.41, UKBAP       |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                        |
|                              | Knot Grass                   | <i>Acronicta rumicis</i>        | Sect.41, UKBAP       |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                        |
|                              | Brown-spot Pinion            | <i>Anchoscelis litura</i>       | Sect.41, UKBAP       |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                        |
|                              | Green-brindled Crescent      | <i>Allophyas oxyacanthae</i>    | Sect.41, UKBAP       |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                        |
|                              | Large Wainscot               | <i>Rhizedra lutosa</i>          | Sect.41, UKBAP       |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                        |
|                              | Powdered Quaker              | <i>Orthosia gracilis</i>        | Sect.41, UKBAP       |                                                                                                                                                                                                                                                                                                                                                                                                                                      | Damp, grassy, and marshy habitats.                                                                                                                     |

Conington and Holme Internal Drainage Board – Biodiversity Action Plan 2026 – 2031

|                               |                          |                               |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                |
|-------------------------------|--------------------------|-------------------------------|-------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Insect - Moth                 | Sallow                   | <i>Cirrhia icteritia</i>      | Sect.41, UKBAP                      | Yes. Invertebrates use a wide range of plants as hosts for their larval stage and for feeding and egg laying in their adult stages. Aim to create and maintain the most diverse sward possible on banks, channel margins and in channel to support them by following a rotational vegetation management regime. Retain trees, hedgerows and scrub and plant more where possible. Look for in surveys, record presence & inform LERC. | Assoc with ditches and streams                                                                                                                                                                                                                 |
|                               | Rosy Rustic              | <i>Hydraecia micacea</i>      | Sect.41, UKBAP                      |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                |
|                               | Oak Hook-tip             | <i>Watsonalla binaria</i>     | Sect.41, UKBAP                      |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                |
|                               | Minor Shoulder-knot      | <i>Brachylomia viminalis</i>  | Sect.41, UKBAP                      |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                |
|                               | Ear Moth                 | <i>Amphipoea oculea</i>       | Sect.41, UKBAP                      |                                                                                                                                                                                                                                                                                                                                                                                                                                      | Found in wetlands / fen                                                                                                                                                                                                                        |
|                               | Dark Spinach             | <i>Pelurga comitata</i>       | Sect.41, UKBAP                      |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                |
|                               | Giant Water-veneer       | <i>Schoenobius gigantella</i> | Nb                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                |
|                               | Bulrush Veneer           | <i>Calamotropa paludella</i>  | Nb                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                |
|                               | Crescent                 | <i>Helotropa leucostigma</i>  | Sect.41, UKBAP                      |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                |
| Insect - Orthopteran          | Comfrey Ermine           | <i>Ethmia quadrillella</i>    | Na                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                      | Strongly Assoc with wetlands and wetland plants                                                                                                                                                                                                |
|                               | Great Green Bush-cricket | <i>Tettigonia viridissima</i> | CPASI, LNRS                         |                                                                                                                                                                                                                                                                                                                                                                                                                                      | Populations with sustainable numbers may only be present in less than five sites in Cambs. and Pboro. Found in rough grassland with some scrub or on woodland edges. Look for in surveys near Nene and Ouse washes and WWF                     |
|                               |                          |                               |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                |
| Insect - True Bug (Hemiptera) | Trigonocranus emmeae     | <i>Trigonocranus emmeae</i>   | Nb                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                      | Prefers damp grassland                                                                                                                                                                                                                         |
|                               | Agallia brachyptera      | <i>Agallia brachyptera</i>    | Nb                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                      | Eastern England is a stronghold. Prefers dry, sparsely vegetated habitats as well as fens and marshes.                                                                                                                                         |
| insect - True Fly (Diptera)   | Geomyza apicalis         | <i>Geomyza apicalis</i>       | N                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                      | Uses a wide range of habitats including sewage farms, grazing marsh and reedbed.                                                                                                                                                               |
| Reptile                       | Grass Snake              | <i>Natrix helvetica</i>       | Sect.41, UKBAP, WCA5                | Yes. Manage channels according to the SOP. Retain & create suitable habitat. Record sightings.                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                |
|                               | Common Lizard            | <i>Zootoca vivipara</i>       | Sect.41, UKBAP, WCA5                |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                |
| Terrestrial Mammal            | Water Vole               | <i>Arvicola amphibius</i>     | RLGB.EN, Sect.41, UKBAP, WCA5, LNRS | Yes. Manage ditches according to the SOPs to ensure no burrows are damaged and marginal vegetation is maintained for optimal vv habitat. Manage bank face vegetation rotationally to maintain/develop a favourable & diverse sward as optimal habitat for vv. Continue support for mink control project. Record in surveys.                                                                                                          | IDB ditches are stronghold for them. Ensure water levels of at least 30cm are maintained all year round, keeping summer/winter level fluctuations as small as possible. Retain marginal vegetation for refuge. Fund and support mink trapping. |
|                               | Brown Hare               | <i>Lepus europaeus</i>        | Sect.41, UKBAP                      | Yes. Retain areas of uncut undisturbed marginal and bank vegetation for refuge and foraging and manage rotationally.                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                |
|                               | Otter                    | <i>Lutra lutra</i>            | HabRegs2, Sect.41, UKBAP, WCA5      | Yes. Manage channels according to the SOP. Retain & create suitable habitat. Record sightings and field signs.                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                |



# Conington and Holme Internal Drainage Board – Biodiversity Action Plan 2026 – 2031

|                          |                      |                                  |                                       |                                                                                                                                                                                                                                        |                          |
|--------------------------|----------------------|----------------------------------|---------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| Terrestrial Mammal - Bat | Brown Long-eared Bat | <i>Plecotus auritus</i>          | <i>HabRegs2, Sect.41, UKBAP, WCA5</i> | Yes. Retain mature bank-side trees to provide suitable roosts for bats. Trim or pollard trees rather than remove them. Install bat boxes on bank-side trees or elsewhere in the district to improve roost provision. Provide bat boxes |                          |
|                          | Common Pipistrelle   | <i>Pipistrellus pipistrellus</i> | <i>HabRegs2, WCA5</i>                 |                                                                                                                                                                                                                                        |                          |
|                          | Daubenton's Bat      | <i>Myotis daubentonii</i>        | <i>HabRegs2, WCA5</i>                 |                                                                                                                                                                                                                                        | <i>Assoc. with water</i> |
|                          | Noctule              | <i>Nyctalus noctula</i>          | <i>HabRegs2, Sect.41, UKBAP, WCA5</i> |                                                                                                                                                                                                                                        |                          |
|                          | Natterer's Bat       | <i>Myotis nattereri</i>          | <i>HabRegs2, WCA5</i>                 |                                                                                                                                                                                                                                        |                          |

In addition, there are 82 species identified by the Local Nature Recovery Strategy (LNRS) that are a priority for nature conservation within Cambridgeshire. Some of these species are commonly associated with the habitats that the Board manages. While there are no known recent records of these species being present within the district, there is potential for them to be found, or for them to colonise, either naturally or via translocation if the habitats they prefer are managed favourably. There is therefore potential for the conservation status of these species across the county to be influenced by the activities of the Board.

**Table 7:** Species identified by the Local Nature Recovery Strategy (LNRS) for Cambridgeshire as being a conservation priority in the county:

| Taxon     | Common Name         | Scientific Name             | Conservation Status                | Potential for IDBs to influence                                                                                                | Species Info                                                                                                                                                                                                                                               |
|-----------|---------------------|-----------------------------|------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Amphibian | Pool Frog           | <i>Pelophylax lessonae</i>  | <i>WACA-Sch5_sect9.4b</i>          | Low. Create ponds where possible                                                                                               |                                                                                                                                                                                                                                                            |
| Birds     | Black-tailed Godwit | <i>Limosa limosa</i>        | <i>WCA1i, LNRS</i>                 | Yes. Seek local conservation projects to support / fund.                                                                       | <i>ID opportunities for IDBs near Ouse and Nene washes to become involved in/fund conservation projects or create wetland sites</i>                                                                                                                        |
|           | Common Crane        | <i>Grus grus</i>            | <i>CPASI, LNRS</i>                 | Moderate. Look for opportunities to create and/or restore reedbeds and wetland habitats. Manage ditches to maximise diversity. | <i>Now over a dozen pairs and a wintering population in excess of 80 individuals, making Cambs and Pboro a key county. Continued management of existing and creation of new areas of mixed wetland will bolster breeding numbers further - IDB action.</i> |
|           | Bittern             | <i>Botaurus stellaris</i>   | <i>Sect.41, UKBAP, WCA1i, LNRS</i> | Moderate. Look for opportunities to create and manage reedbeds such as old pump drains. Record sightings.                      | <i>Look for opportunities to create and manage reedbeds such as old pump drains.</i>                                                                                                                                                                       |
|           | Black-necked Grebe  | <i>Podiceps nigricollis</i> | <i>Bern-A2</i>                     | Moderate. Look for opportunities to create and/or restore reedbeds and wetland habitats. Manage ditches to maximise diversity. |                                                                                                                                                                                                                                                            |
|           | Garganey            | <i>Spatula querquedula</i>  | <i>Bird-Amber</i>                  |                                                                                                                                |                                                                                                                                                                                                                                                            |
|           | Redshank            | <i>Tringa totanus</i>       | <i>BirdsDir-A2.2</i>               |                                                                                                                                |                                                                                                                                                                                                                                                            |

# Conington and Holme Internal Drainage Board – Biodiversity Action Plan 2026 – 2031

|                 |                        |                                   |                                                         |                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-----------------|------------------------|-----------------------------------|---------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Birds           | Grasshopper Warbler    | <i>Locustella naevia</i>          | Sect.41, UKBAP, LNRS                                    | Yes. Promote uptake of environmental stewardship riparian buffer strip options                                                                                                                                                                                                                                                                                                                              | Prefers sites with a mixture of habitats including grassland, scrub and reedbed/wetland areas, therefore a good indicator of relatively wild habitats.                                                                                                                                                                                                                                                                                |
|                 | Snipe                  | <i>Gallinago gallinago</i>        | UK Amber List, LNRS                                     | Yes. Look for opportunities to create / restore reedbeds and wetland habitats                                                                                                                                                                                                                                                                                                                               | Requiring wet grassland / water meadow. IDBs Look for opportunities to restore / create reedbeds & wet grasslands and/or support conservation efforts within the district.                                                                                                                                                                                                                                                            |
|                 | Barn Owl               | <i>Tyto alba</i>                  | CPASI, WCA1i, LNRS                                      | Yes. Manage existing boxes, fund and install new ones where necessary and support box surveys. Retain areas of taller bank veg to support small mammals.                                                                                                                                                                                                                                                    | Species is still under threat from a range of factors relating to agricultural intensification and urbanisation. Erect and manage Barn Owl Boxes.                                                                                                                                                                                                                                                                                     |
| Fish            | Brook lamprey          | <i>Lampetra planeri</i>           | RLGB NT, SFWF, HabsRegs, LNRS                           | Limited. Look for presence during surveys.                                                                                                                                                                                                                                                                                                                                                                  | A positive indicator for rivers and streams. It tends to be observed in the headwaters of smaller waterbodies (but may be present in the middle reaches of rivers). The species has a larval form which requires unpolluted and stable silt beds, thus if a river supports brook lamprey it could be considered as one that is in a better ecological condition and is exhibiting stability and naturalness of the river environment. |
|                 | European Eel           | <i>Anguilla anguilla</i>          | UKBAP. RL Critically Endangered. SPI UK. Eel Regs, LNRS | Yes. Retain marginal vegetation for eel refuge and foraging. Only desilt centre 2/3rds of channel.                                                                                                                                                                                                                                                                                                          | Spends most of its life in European rivers which flow into the Atlantic, Mediterranean and Baltic seas, and migrate to the western sub-tropical Atlantic where it breeds. Retain marginal veg as refuge for them.                                                                                                                                                                                                                     |
|                 | Spined Loach           | <i>Cobitis taenia</i>             | Sect.41, UKBAP, LNRS                                    | Yes. Desilt little and often to provide diversity of substrate for the filter-feeders                                                                                                                                                                                                                                                                                                                       | Appears to be restricted to Trent, Welland, Witham, Nene and Great Ouse, with their associated waterways. Moreton's Leam is thought to contain the highest recorded density of spined loach in the UK and is designated an SAC for this reason, as are Ouse Washes Counter Drain and Old Bedford RiveHave been found on occasion in the Middle Level system. Desilt little and often                                                  |
| Flowering Plant | Cambridge Milk-parsley | <i>Selinum carvifolia</i>         | RENG.EN, RLGB.EN, WCA8, LNRS                            | Yes. Maintain a programme of rotational bank cutting and desilting little and often to support aquatic, marginal and terrestrial plants. Where found, and/or diversity is high, identify the historic management regime and maintain it as closely as possible to retain valuable species or make informed improvements to regime to enhance the stand. Look for in surveys, record presence & inform LERC. | Known to be present in an IDB drain near Ramsey                                                                                                                                                                                                                                                                                                                                                                                       |
|                 | Dyer's Greenweed       | <i>Genista tinctoria</i>          | CPASI, RLENG.VU, LNRS                                   |                                                                                                                                                                                                                                                                                                                                                                                                             | Good indicator of old permanent grassland of interest (including verges), particularly in the clay areas of Cambs and Pboro. Number of sites in Cambs and Pboro has been declining in recent decades and it is still under threat as many populations are small. Pboro IDBs                                                                                                                                                           |
|                 | Fen Ragwort            | <i>Jacobaea paludosa</i>          | NR, RLENG.CR, RLGB.CR, Sect.41, UKBAP, WCA8, LNRS       |                                                                                                                                                                                                                                                                                                                                                                                                             | Look for reintro sites, particularly in vegetated drains, old pump drains, dead end drains, reedbed peripheries etc.                                                                                                                                                                                                                                                                                                                  |
|                 | Greater Bladderwort    | <i>Utricularia vulgaris</i> agg.  | RENG.LC, RLGB.LC., LNRS                                 |                                                                                                                                                                                                                                                                                                                                                                                                             | Good indicator of high-quality wetland habitats as it is susceptible to eutrophication. At risk where populations are small. Look for in surveys                                                                                                                                                                                                                                                                                      |
|                 | Greater Water-parsnip  | <i>Sium latifolium</i>            | NS, RLENG.EN, RLGB.EN, Sect.41, UKBAP, LNRS             |                                                                                                                                                                                                                                                                                                                                                                                                             | Fenland characteristic species. Found parts of the Ouse Washes. Small populations remain vulnerable. Look for in surveys                                                                                                                                                                                                                                                                                                              |
|                 | Heath Dog-violet       | <i>Viola canina subsp. ruppii</i> | RLGB EN. RLENG EN., LNRS                                |                                                                                                                                                                                                                                                                                                                                                                                                             | In Woodalton Fen, Holme fen & RUGR IDB only.                                                                                                                                                                                                                                                                                                                                                                                          |

# Conington and Holme Internal Drainage Board – Biodiversity Action Plan 2026 – 2031

|                 |                              |                                |                                         |                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                        |
|-----------------|------------------------------|--------------------------------|-----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Flowering Plant | Lesser Water-plantain        | <i>Baldellia ranunculoides</i> | CPASI, RLENG.VU, RLGB.Lr(NT), LNRS      | Yes. Maintain a programme of rotational bank cutting and desilting little and often to support aquatic, marginal and terrestrial plants. Where found, and/or diversity is high, identify the historic management regime and maintain it as closely as possible to retain valuable species or make informed improvements to regime to enhance the stand. Look for in surveys, record presence & inform LERC. | Only a few sites now have significant numbers. Under threat from a range of factors. Survey for them annually.                                                                                                                                                                                         |
|                 | Long-stalked Yellow-sedge    | <i>Carex lepidocarpa</i>       | RLGB LC. RLENG LC. , LNRS               |                                                                                                                                                                                                                                                                                                                                                                                                             | Strong indicator of high-quality wet fen meadow habitats. Likely less than ten sites in Cambs and Pboro where it still occurs, at some of those in small numbers. Look for in surveys                                                                                                                  |
|                 | Meadow Thistle               | <i>Cirsium dissectum</i>       | CPASI, LNRS                             |                                                                                                                                                                                                                                                                                                                                                                                                             | Strong indicator of high-quality wet fen meadow habitats. Perhaps less than five sites in Cambs and Pboro where it still occurs. Look for in IDB surveys                                                                                                                                               |
|                 | Milk-parsley                 | <i>Thysselinum palustre</i>    | RLGB VU. RLENG VU., LNRS                |                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                        |
|                 | Meadow Saxifrage             | <i>Saxifraga granulata</i>     | RedList_ENG_post2001-LC                 |                                                                                                                                                                                                                                                                                                                                                                                                             | Occasionally found on banks or in floodplains, indicator of good quality unimproved grasslands                                                                                                                                                                                                         |
|                 | Tasteless Water-pepper       | <i>Persicaria mitis</i>        | CPASI, NS, RLENG.VU, RLGB.VU, LNRS      |                                                                                                                                                                                                                                                                                                                                                                                                             | Found in the Ouse and Nene Washes and only found in a few sites outside of these and has been lost from some locations. Found in wet places in open vegetation, typically on nutrient-rich mud and peat that is exposed by a rapid 'drawdown' of water in the summer. Look out for in Ouse washes IDBs |
|                 | Narrow-leaved Water-dropwort | <i>Oenanthe silaifolia</i>     | CPASI, NS, LNRS                         |                                                                                                                                                                                                                                                                                                                                                                                                             | Characteristic flood meadow species. Mostly restricted to a few sites in the River Great Ouse valley area. IDBs near Ouse washes only                                                                                                                                                                  |
|                 | Tubular Water-dropwort       | <i>Oenanthe fistulosa</i>      | RLENG.VU, RLGB.VU, Sect.41, UKBAP, LNRS |                                                                                                                                                                                                                                                                                                                                                                                                             | Found in areas with winter flooding, including flood meadows and ponds. Look for around Nene and Ouse Washes IDBs                                                                                                                                                                                      |
|                 | Opposite-leaved Pondweed     | <i>Groenlandia densa</i>       | CPASI, RLENG.VU, RLGB.VU, LNRS          |                                                                                                                                                                                                                                                                                                                                                                                                             | Typical of shallow nutrient-poor calcareous waters. Mostly found in fen drains. Look for in surveys                                                                                                                                                                                                    |
|                 | Fen Orchid                   | <i>Liparis loeselii</i>        | Bern-A1                                 |                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                        |
|                 | Early Marsh-orchid           | <i>Dactylorhiza incarnata</i>  | RedList_ENG_post2001-LC                 |                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                        |
|                 | Slender Tare                 | <i>Ervum gracile</i>           | RedList_GB_post2001-VU                  |                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                        |
|                 | Bog Pimpernel                | <i>Lysimachia tenella</i>      | RedList_GB_post2001-LC                  |                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                        |
|                 | Grass-poly                   | <i>Lythrum hyssopifolia</i>    | WACA-Sch8                               |                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                        |
|                 | Oxlip                        | <i>Primula elatior</i>         | NS-excludes                             |                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                        |
|                 | Marsh Valerian               | <i>Valeriana dioica</i>        | RedList_ENG_post2001-NT                 |                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                        |
|                 | Great Burnet                 | <i>Sanguisorba officinalis</i> | NI_Priority                             |                                                                                                                                                                                                                                                                                                                                                                                                             | Characteristic flood meadow and positive old grassland indicator species (although can be found in woodland). Associated with sites of natural history interest in Cambs and Pboro and has declined significantly. Many populations are small and so are under threat from destruction or neglect.     |

Conington and Holme Internal Drainage Board – Biodiversity Action Plan 2026 – 2031

|                    |                       |                                 |                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                              |
|--------------------|-----------------------|---------------------------------|----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Flowering Plant    | Saw-wort              | <i>Serratula tinctoria</i>      | RedList_ENG_post2001-LC                | Yes. Maintain a programme of rotational bank cutting and desilting little and often to support aquatic, marginal and terrestrial plants. Where found, and/or diversity is high, identify the historic management regime and maintain it as closely as possible to retain valuable species or make informed improvements to regime to enhance the stand. Look for in surveys, record presence & inform LERC.                          | Strong indicator of a range of old species-rich habitats, including grassland and woodland edges. Has declined significantly nationally and locally. At the eastern edge of its range in Cambs and at many sites numbers are small so these populations are under threat. Now may only be present at less than ten sites in Cambs and Pboro. |
|                    | Flat-sedge            | <i>Blysmus compressus</i>       | Scottish_Biodiversity_List             |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                              |
|                    | Fibrous Tussock-sedge | <i>Carex appropinquata</i>      | NS-excludes                            |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                              |
|                    | Marsh Helleborine     | <i>Epipactis palustris</i>      | W(NI)O-Sch8_part1                      |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                              |
|                    | Common Cottongrass    | <i>Eriophorum angustifolium</i> | RedList_ENG_post2001-VU                |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                              |
|                    | Fen Wood-rush         | <i>Luzula pallescens</i>        | RedList_GB_post2001-CR                 |                                                                                                                                                                                                                                                                                                                                                                                                                                      | Found in Holme Fen, Needs ground disturbance                                                                                                                                                                                                                                                                                                 |
|                    | Fly Orchid            | <i>Ophrys insectifera</i>       | England_NERC_S.41                      |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                              |
|                    | Marsh Lousewort       | <i>Pedicularis palustris</i>    | RedList_ENG_post2001-VU                |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                              |
|                    | Common Butterwort     | <i>Pinguicula vulgaris</i>      | RedList_ENG_post2001-VU                |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                              |
|                    | Hampshire Dandelion   | <i>Taraxacum akteum</i>         | NR-excludes                            |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                              |
|                    | English Dandelion     | <i>Taraxacum anglicum</i>       | RedList_ENG_post2001-VU                |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                              |
|                    | Marsh Dandelion       | <i>Taraxacum palustre</i>       | RedList_ENG_post2001-VU                |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                              |
|                    | Water Germander       | <i>Teucrium scordium</i>        | WACA-Sch8                              |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                              |
|                    | Fen Violet            | <i>Viola stagnina</i>           | RedList_GB_post2001-CR                 |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                              |
|                    | Marsh Stitchwort      | <i>Stellaria palustris</i>      | RENG.VU, RLGB.VU, Sect.41, UKBAP, LNRS |                                                                                                                                                                                                                                                                                                                                                                                                                                      | Strong old wet grassland indicator. Present at less than ten sites in Cambs and Pboro and at risk in many of them. Look for in surveys near Nene, Ouse and WWF                                                                                                                                                                               |
| Insect - Beetle    | Eyed Longhorn beetle  | <i>Oberea oculata</i>           | NR-includes                            | Yes. Invertebrates use a wide range of plants as hosts for their larval stage and for feeding and egg laying in their adult stages. Aim to create and maintain the most diverse sward possible on banks, channel margins and in channel to support them by following a rotational vegetation management regime. Retain trees, hedgerows and scrub and plant more where possible. Look for in surveys, record presence & inform LERC. |                                                                                                                                                                                                                                                                                                                                              |
|                    | Mud Beetle            | <i>Sphaerius acaroides</i>      | RedList_GB_post2001-EN                 |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                              |
| Insect - Butterfly | Black Hairstreak      | <i>Satyrrium pruni</i>          | RedList_GB_post2001-EN                 |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                              |
|                    | Large Copper          | <i>Lycaena dispar</i>           | WACA-Sch5_sect9.5a                     |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                              |
|                    | Swallowtail           | <i>Papilio machaon</i>          | WACA-Sch5_sect9.4b                     |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                              |

Conington and Holme Internal Drainage Board – Biodiversity Action Plan 2026 – 2031

|                                   |                           |                                |                                |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                          |
|-----------------------------------|---------------------------|--------------------------------|--------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Insect - Caddis Fly (Trichoptera) | <i>Erotesis baltica</i>   | <i>Erotesis baltica</i>        | NR-includes                    |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                          |
| Insect - Moth                     | Four-spotted              | <i>Tyta luctuosa</i>           | Nationally Scarce. UKBAP, LNRS |                                                                                                                                                                                                                                                                                                                                                                                                                                      | Food plant is field bindweed so dependent on early successional habitats which are threatened by inappropriate management and eutrophication. May be more widespread and common than previously thought but more surveys are required to establish this. |
|                                   | Marsh Carpet              | <i>Gagitodes sagittata</i>     | RLEN EN., LNRS                 |                                                                                                                                                                                                                                                                                                                                                                                                                                      | Present south of Benwick and Doddington & west of Coates.                                                                                                                                                                                                |
| Insect - Moth                     | Reed Leopard              | <i>Phragmataecia castaneae</i> | RLGB VU. UKBAP, LNRS           |                                                                                                                                                                                                                                                                                                                                                                                                                                      | Long-standing populations known only at Wicken Fen and Chippenham Fen but recorded from a few other sites in this area of the county. The larval food plant is common reed.                                                                              |
|                                   | Silver Barred             | <i>Deltote bankiana</i>        | RedList_GB_Pre94-VU            | Yes. Invertebrates use a wide range of plants as hosts for their larval stage and for feeding and egg laying in their adult stages. Aim to create and maintain the most diverse sward possible on banks, channel margins and in channel to support them by following a rotational vegetation management regime. Retain trees, hedgerows and scrub and plant more where possible. Look for in surveys, record presence & inform LERC. | Restricted distribution nationally. Species of fens, coastal marshes and bogs. Long-standing populations known only at Wicken Fen and Chippenham Fen in Cambs and Pboro.                                                                                 |
| Insect - Orthopteran              | Large Marsh Grasshopper   | <i>Stethophyma grossum</i>     | England_NERC_S.41              |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                          |
| Insect - Beetle                   | Agabus uliginosus         | <i>Agabus uliginosus</i>       | Nb, RLGB.Lr(NT), LNRS          |                                                                                                                                                                                                                                                                                                                                                                                                                                      | Potentially a flagship species for seasonal pools. Found in a range of wetlands in isolated ponds or in seasonally flooded fen. Found at Wicken Fen, Woodwalton Fen and a relatively small number of sites outside of these. Look out for in surveys     |
|                                   | Donacia dentata           | <i>Donacia dentata</i>         | RLGB.VU, LNRS                  |                                                                                                                                                                                                                                                                                                                                                                                                                                      | Very few known sites in Cambs and Pboro. Found in larger drains and rivers and feeds mainly on Arrowhead, Sagittaria sagittifolia. Relatively large and identifiable. Look out for in surveys                                                            |
| Mollusc                           | Large-mouthed Valve Snail | <i>Valvata macrostoma</i>      | RLGB LC. RLENG ?, LNRS         | Limited. Look for presence during surveys.                                                                                                                                                                                                                                                                                                                                                                                           | Look for in surveys                                                                                                                                                                                                                                      |
|                                   | Taylor's Spire Snail      | <i>Marstoniopsis insubrica</i> | RLUK Rare, LNRS                |                                                                                                                                                                                                                                                                                                                                                                                                                                      | IDBs along the Ouse washes                                                                                                                                                                                                                               |
|                                   | Witham Orb Mussel         | <i>Sphaerium solidum</i>       | NL, LNRS                       |                                                                                                                                                                                                                                                                                                                                                                                                                                      | IDBs along the Ouse washes                                                                                                                                                                                                                               |
|                                   | Desmoulin's Whorl Snail   | <i>Vertigo moulinsiana</i>     | HabDir-A2*                     |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                          |
| Reptile                           | Adder                     | <i>Vipera berus</i>            | WACA-Sch5_sect9.5a             | Yes. Manage channels according to the SOP. Retain & create suitable habitat. Record sightings.                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                          |
| Insect - Spider                   | Rosser's Sac-spider       | <i>Clubiona rosserae</i>       | NL, LNRS                       | Yes. Invertebrates use a wide range of plants as hosts for their larval stage and for feeding and egg laying in their adult stages. Aim to create and maintain the most diverse sward possible on banks, channel margins and in channel to support them by following a rotational vegetation management regime. Retain trees, hedgerows and scrub and plant more where possible. Look for in surveys, record presence & inform LERC. | Only found in 1-2 sites in Britain, with recent records only at Chippenham Fen. Found in fens amongst cut sedge and reeds and in sedge tussocks.                                                                                                         |
|                                   | Pardosa paludicola        | <i>Pardosa paludicola</i>      | NR-includes                    |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                          |
|                                   | Zora armillata            | <i>Zora armillata</i>          | NR-includes                    |                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                          |



Conington and Holme Internal Drainage Board – Biodiversity Action Plan 2026 – 2031

|                           |                        |                                                |                                               |                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                           |
|---------------------------|------------------------|------------------------------------------------|-----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Stonewort                 | Great Tassel Stonewort | <i>Tolypella prolifera</i>                     | RLGB.EN, Sect.41, UKBAP, LNRS                 | Yes. Maintain a programme of rotational bank cutting and desilting little and often to support aquatic, marginal and terrestrial plants. Where found, and/or diversity is high, identify the historic management regime and maintain it as closely as possible to retain valuable species or make informed improvements to regime to enhance the stand. Look for in surveys, record presence & inform LERC. | Found in small alkaline water bodies which prefers slow-moving water and tends to grow in deeper water. A spring or summer annual and often occurs in quantity after ditch clearances.                                                                                    |
|                           | Hedgehog Stonewort     | <i>Chara aculeolata</i>                        | RLGB.VU, UKBAP, NR, LNRS                      |                                                                                                                                                                                                                                                                                                                                                                                                             | Only in some of the old Pboro brick pit sites in Cambs and Pboro. A freshwater species tolerant of slightly brackish water.                                                                                                                                               |
|                           | Bearded Stonewort      | <i>Chara canescens</i>                         | WACA-Sch8                                     |                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                           |
|                           | Dwarf Stonewort        | <i>Nitella tenuissima</i>                      | RedList_GB_post2001-EN                        |                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                           |
|                           | Tassel Stonewort       | <i>Tolypella intricata</i>                     | RedList_GB_post2001-EN                        |                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                           |
| Terrestrial Mammal        | West European Hedgehog | <i>Erinaceus europaeus</i>                     | RLGB.VU, Sec+2:15t.41, UKBAP, LNRS            | Yes. More associated with mosaic habitats but IDBs must be mindful not to disturb scrub patches / weed screen piles / leaf piles after October as they may be hibernating. Fund hedgehog hotels, encourage leaf piles and don't keep things "tidy". Record sightings.                                                                                                                                       | More associated with mosaic habitats but IDBs must be mindful not to disturb scrub patches / weed screen piles / leaves after October as they may be hibernating. Fund hedgehog hotels, encourage leaf piles and don't keep things "tidy".                                |
|                           | Harvest Mouse          | <i>Micromys minutus</i>                        | England_NERC_S.41                             | Yes. Retain areas of uncut undisturbed marginal and bank vegetation for refuge and foraging and manage rotationally.                                                                                                                                                                                                                                                                                        | GB Red List Near Threatened. Thought to have declined significantly due to agricultural intensification. Not commonly recorded in Cambs and Pboro so population levels are unknown.                                                                                       |
| Terrestrial Mammal - Bats | Western Barbastelle    | <i>Barbastella barbastellus</i>                | HabRegs2, RLGB.VU, Sect.41, UKBAP, WCA5, LNRS | Yes. Retain mature bank-side trees to provide suitable roosts for bats. Trim or pollard trees rather than remove them. Install bat boxes on bank-side trees or elsewhere in the district to improve roost provision. Provide bat boxes                                                                                                                                                                      | Thought to prefer pastoral landscapes with a mixture of deciduous woodland and other habitats. Roost mainly in cracks in trees.                                                                                                                                           |
| Tree                      | Dark-leaved Willow     | <i>Salix myrsinifolia</i>                      | RENG.LC, RLGB.LC., LNRS                       | Limited. Look for presence during surveys. Retain where present                                                                                                                                                                                                                                                                                                                                             | Cambs holds the majority of the of the remaining southern / eastern England (likely) native sites for the species (less than five sites). Found in wet riverside woodland and fens. Look out for in surveys                                                               |
|                           | Black-poplar           | <i>Populus nigra</i> subsp. <i>betulifolia</i> | CPASI, LNRS                                   | Yes. Look for planting opportunities. Identify those existing and conserve.                                                                                                                                                                                                                                                                                                                                 | One of the rarest native trees in Cambs and Pboro. Under threat because of a lack of natural reproduction opportunities. Most trees present now are thought to have been planted but maybe not all. Natural habitat is river floodplains. Look for planting opportunities |

### 5.10.1 The Hull International Fisheries Institute (HIFI), EDNA Surveys

Between 2021 and 2023, the Hull International Fisheries Institute (HIFI) collected and analysed Environmental DNA (EDNA) samples from channels within almost all IDB catchments in the Middle Level and surrounding areas. The aims of the project were; to gain a better understanding of the presence and distribution of the endangered European Eel within IDB pumped catchments, to better inform and focus conservation efforts and regulation in areas where eels are already present, as well as to better understand their habitat requirements, identify and remediate the obstacles to eel passage and welfare. The EDNA studies also identified the presence of a number of other species, which have been detailed below. It is important to understand that these samples and results only represent a snapshot in time. The presence or absence of any EDNA of any particular species is not conclusive proof of their presence or absence in the channel at any other time. But it does give us a good understanding of what species the habitats managed by the IDB are capable of supporting.

The studies demonstrate that eel had not been present in Conington and Holme channels around the time the EDNA samples were taken, however ongoing best practice management of the channels is likely improve their attractiveness for eel in the future.

**Table 8:** Species identified by the EDNA studies undertaken in the Conington and Holme IDB Catchment:

| IDB/Pumping Station | Samples Taken | Mammal & Reptile Speices Identified                                                                                                                                                           | Species Richness | Species Richness Range* | Fish Species Identified                                                                                                                                                                                                                                                                                                  | Species Richness | Species Richness Range* |
|---------------------|---------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|-------------------------|
| Conington           | 6             | <ol style="list-style-type: none"> <li>1. Common Toad</li> <li>2. Chinese Water Deer</li> <li>3. Reeves Muntjac</li> <li>4. Water Vole</li> <li>5. Brown Rat</li> <li>6. Mouse sp.</li> </ol> | 6                | 0-7                     | <ol style="list-style-type: none"> <li>1. Spined Loach</li> <li>2. Common Bream</li> <li>3. Silver Bream</li> <li>4. Roach</li> <li>5. Rudd</li> <li>6. Tench</li> <li>7. Northern Pike</li> <li>8. Three-spined stickleback</li> <li>9. Nine-spined stickleback</li> <li>10. Ruffe</li> <li>11. Perch Zander</li> </ol> | 11               | 1-13                    |

\*The range provided is the greatest and lowest species richness across all IDB sites sampled. A total of 29 fish and 31 mammal and amphibian species were detected in all samples taken.

**Note:** Samples were only taken up to the point when eels were detected. Some of the smaller sites were only sampled once.

## 5.11. Invasive Non-native Species Summary

The IDB has identified the following aquatic and riparian invasive non-native species within or adjacent to the drainage district that are identified as likely to be influenced by, or impact upon the Board's activities. Some INNS species records have been excluded as they are not considered to be any greater detriment to the habitats managed by IDBs than some similar native species, and they are common throughout the district and Middle Level area so would be very difficult to control and/or eradicate. Only the most recent record from each specific location has been included.

**Table 9:** Aquatic & riparian invasive non-native species summary

| Taxon Group        | Common Name                                     | Scientific Name                                 | Location                           | Most Recent Date Recorded | Designations | Management Recommendations                                                                                                                                                                                                                       |
|--------------------|-------------------------------------------------|-------------------------------------------------|------------------------------------|---------------------------|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Flowering Plant    | <i>Canadian Waterweed</i>                       | <i>Elodea canadensis</i>                        | <i>Conington Fen Drains CWS</i>    | 04/11/1996                | WCA9ii       | Observe stringent biosecurity procedures to prevent spread. Familiarise with species recognition. Encourage all IDB networks to recognise and report sightings of the species to the board ecologist straight away so it can be managed swiftly. |
|                    | <i>Nuttall's Waterweed</i>                      | <i>Elodea nuttallii</i>                         | <i>Conington Fen Drains CWS</i>    | 08/08/2013                | WCA9ii       |                                                                                                                                                                                                                                                  |
|                    | <i>Japanese Knotweed</i>                        | <i>Fallopia japonica</i>                        | <i>Conington Sidings CWS</i>       | Sep-14                    | WCA9ii       |                                                                                                                                                                                                                                                  |
|                    | <i>Lamiastrum galeobdolon subsp. argentatum</i> | <i>Lamiastrum galeobdolon subsp. argentatum</i> | <i>Glatton</i>                     | 21/12/2019                | WCA9ii       |                                                                                                                                                                                                                                                  |
| Terrestrial Mammal | <i>American Mink</i>                            | <i>Neovison vison</i>                           | <i>New Dyke, Papworth's Bridge</i> | 18/02/2012                | WCA9i        |                                                                                                                                                                                                                                                  |

## 5.12. Water Level Management Plans

There are no Water Level Management Plans (WLMP) within the drainage district.

## 6. Habitat and Species Action Plans

### 6.1. Introduction

The following sections detail the objectives that the IDB has defined for each of the habitats and species that have been identified as a priority in the biodiversity audit, and that have the most potential to be influenced by the Boards activities, and the associated actions that will help to deliver each objective.

### 6.2. Habitat Action Plans

#### 6.2.1 IDB Ditches

##### 6.2.1.1 IDB Ditch Objectives:

1. *Develop and regularly review an Operations Manual to help to define the most favourable channel maintenance approaches for flood risk management and biodiversity, on a reach-by-reach basis.*
2. *Maximise the biodiversity value of IDB channels, banks and margins through sensitive management, all designed to support a wide range of species.*
3. *Enhance channel biodiversity via non-routine works where opportunities arise*

##### 6.2.1.2 IDB Ditch Actions

| Objective ref. | Action no. | Action                                                                                                                                      | Measurable / Indicators                                                                                                                  | Completion date    | Action Lead | Partners |
|----------------|------------|---------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|--------------------|-------------|----------|
| 1              | 1a         | Categorise / review categorisation of all IDB channels by flood risk to determine maintenance intensity and approach and document reasoning | • Map with channels coloured by risk category                                                                                            | 2026 then annually | IDB         |          |
|                |            |                                                                                                                                             | • Supporting table for above with reasoning                                                                                              | 2026 then annually | IDB         |          |
|                |            |                                                                                                                                             | • Minuted review of any changes from previous years categorisation and approval of current determination at Board Meeting ahead of works | 2026 then annually | IDB         |          |

## Conington and Holme Internal Drainage Board – Biodiversity Action Plan 2026 – 2031

### 6.2.1.2 IDB Watercourses Actions Cont.

|          |           |                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                    |                    |           |            |
|----------|-----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|-----------|------------|
|          | <b>1b</b> | Define/redefine and deliver most appropriate vegetation management approach/intensity for each IDB channel reach to manage flood risk and maximise opportunities for biodiversity.                                                                                                                                                                           | <ul style="list-style-type: none"> <li>Map with planned veg management approach defined for each reach</li> </ul>                                                                                                                                                                  | 2026 then annually | IDB       | Ecologist  |
|          |           | Favour the retention and rotational management of marginal and bank vegetation wherever possible.                                                                                                                                                                                                                                                            | <ul style="list-style-type: none"> <li>Documented confirmation that works were carried out in line with plan for each reach and if not, reasons why.</li> </ul>                                                                                                                    | 2026 then annually | IDB       | Contractor |
|          |           |                                                                                                                                                                                                                                                                                                                                                              | <ul style="list-style-type: none"> <li>Minuted review of any changes to previous approach and approval of plan ahead of works at Board Meeting</li> </ul>                                                                                                                          | 2026 then annually | IDB       | Ecologist  |
|          | <b>1c</b> | Define/redefine and deliver most appropriate desilting approach/intensity for each IDB channel reach to manage flood risk and maximise opportunities for biodiversity.                                                                                                                                                                                       | <ul style="list-style-type: none"> <li>Map with desilting approach defined for each reach</li> </ul>                                                                                                                                                                               | 2026 then annually | IDB       | Ecologist  |
|          |           | Aim for regular and light desilting on a 3-year rotation approx. to mimic natural scour in periodic high flows.                                                                                                                                                                                                                                              | <ul style="list-style-type: none"> <li>Documented confirmation that works were carried out in line with plan for each reach and if not, reasons why.</li> </ul>                                                                                                                    | 2026 then annually | IDB       | Contractor |
|          |           |                                                                                                                                                                                                                                                                                                                                                              | <ul style="list-style-type: none"> <li>Minuted review of any changes to previous approach and approval of plan ahead of works at Board Meeting</li> </ul>                                                                                                                          | 2026 then annually | IDB       | Ecologist  |
| <b>2</b> | <b>2a</b> | Undertake routine channel maintenance in line with standard operating procedures (SOPs), best practice and in compliance with a range of environmental law.                                                                                                                                                                                                  | <ul style="list-style-type: none"> <li>Spot checks during and after routine maintenance for SOP compliance</li> </ul>                                                                                                                                                              | Annually           | Ecologist |            |
|          |           |                                                                                                                                                                                                                                                                                                                                                              | <ul style="list-style-type: none"> <li>Minuted report to the Board of compliance non/compliance for maintenance undertaken</li> </ul>                                                                                                                                              | Annually           | Ecologist |            |
|          | <b>2b</b> | Survey a different sample reach of channel each year to benchmark biodiversity.                                                                                                                                                                                                                                                                              | <ul style="list-style-type: none"> <li>Channel survey results and recommendations included in Board papers with summary review each year.</li> </ul>                                                                                                                               | 2026 then annually | Ecologist | IDB        |
|          |           | Aim to identify areas of high biodiversity value and which areas could benefit from enhancement. Also aim to identify any correlation between diversity, habitat quality and management approaches.                                                                                                                                                          | <ul style="list-style-type: none"> <li>Results of surveys submitted to LERC</li> </ul>                                                                                                                                                                                             |                    |           |            |
| <b>3</b> | <b>3a</b> | <p>Ensure all non-routine channel works are assessed for environmental and ecological constraints and opportunities in advance of works.</p> <p>Identify and design-in opportunities to enhance channels using natural engineering approaches i.e. vegetated coir roll for bank toe stabilisation, hydroseeding, vegetated berms and diverse seed mixes.</p> | <ul style="list-style-type: none"> <li>Minuted review of planned non-routine works and ecol. assessment requirements for forthcoming year at each Board Meeting.</li> <li>Extent of habitat enhanced as a result of non-routine works reported annually in Board papers</li> </ul> | 2026 then Annually | IDB       | Ecologist  |

## 6.2.2 Fen Droves

### 6.2.2.1 Fen Droves Objectives

1. *Identify and map all existing and defunct Droves within the district and confirm ownership, provenance and status, particularly those with IDB ditches adjacent to them and those that IDBs use as access to inspect and maintain assets.*
2. *Retain, protect and enhance Droves within the District by encouraging and supporting private landowners/managers to do so.*

### 6.2.2.2 Fen Droves Actions

| Objective ref. | Action no. | Action                                                                                                                                                                                                                                                          | Measurable / Indicators                                                                                                                                       | Completion date | Action Lead     | Partners                                  |
|----------------|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-----------------|-------------------------------------------|
| 1              | 1a         | Liaise with/enlist assistance of community groups, IDB members and rate payers to develop a register and map of Fen Droves within the district                                                                                                                  | • Map with Droves highlighted                                                                                                                                 | 2026-7          | IDB             | Ecologist / Community Groups              |
|                |            |                                                                                                                                                                                                                                                                 | • Supporting table detailing drove ownership, provenance, status i.e. PRoW. and any other relevant history                                                    | 2026-8          | IDB             | Ecologist / Community Groups / Landowners |
|                | 1b         | Publish findings of Fen Droves Register project within local community                                                                                                                                                                                          | • Publication of map and drove history via Parish News or similar and IDB website                                                                             | 2027-8          | IDB             | Ecologist / Community Groups              |
|                |            |                                                                                                                                                                                                                                                                 | • Summary of project findings in Board Report                                                                                                                 | 2028            | IDB             | Ecologist                                 |
|                |            |                                                                                                                                                                                                                                                                 | • Provide map and details to LERC                                                                                                                             | 2028            | IDB             | Ecologist                                 |
| 2              | 2a         | Support/encourage biodiversity surveys of Fen Droves, particularly those along IDB ditches, to identify any enhancements that could be made to maximise biodiversity.<br><br><i>*Annual channel biodiversity surveys could be expanded to incorporate this.</i> | • Number of survey reports with current & historic management approaches detailed along with enhancement recommendations made, provided to relevant landowner | 2026-31         | IDB / Ecologist | Ecologist / Community Groups / Landowners |
|                |            |                                                                                                                                                                                                                                                                 | • Number of surveys & summary published in Board Reports                                                                                                      |                 |                 |                                           |
|                |            |                                                                                                                                                                                                                                                                 | • Number of survey results sent to LERC                                                                                                                       |                 |                 |                                           |



### 6.2.3 Woodland

#### 6.2.3.1 Woodland Objectives

1. Create and restore woodland within the District by supporting private landowners to do so, primarily near IDB-managed channels, in line with the LNRS strategy, and deliver favourable water levels for the habitat.

#### 6.2.3.2 Wet Woodland Actions

| Objective ref. | Action no. | Action                                                                                                                         | Measurable / Indicators                                                                                               | Completion date | Action Lead | Partners               |
|----------------|------------|--------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|-----------------|-------------|------------------------|
| 1              | 1a         | Promote the LNRS woodland opportunity map via website, rate demands flyers and community groups to encourage woodland creation | <ul style="list-style-type: none"> <li>Promotion on website / rate demand flyers and community group comms</li> </ul> | 2028            | IDB         | Ecologist              |
|                | 1b         | Support woodland creation projects with favourable water level management and maintenance                                      | <ul style="list-style-type: none"> <li>No of wet woodland projects supported</li> </ul>                               | Ongoing         | IDB         | Ecologist / Landowners |

## 6.2.4 Arable Field Margins

### 6.2.4.1 Arable Field Margins Objectives

1. *Retain, enhance and increase the extent of arable field margins within the District by encouraging and supporting private landowners to do so, particularly adjacent to IDB drains, and encourage the establishment of new arable field margins wherever possible.*

### 6.2.4.2 Arable Field Margins Actions

| Objective ref. | Action no. | Action                                                                                                                                                                                                                              | Measurable / Indicators                                                                             | Completion date | Action Lead     | Partners                          |
|----------------|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|-----------------|-----------------|-----------------------------------|
| 1              | 1a         | Publish details on the IDB website of the benefits of retaining and creating good quality arable field margins for the IDB and for biodiversity and signpost further advice, including LNRS habitat opportunity map                 | <ul style="list-style-type: none"> <li>Post on the website</li> </ul>                               | 2026-27         | IDB / Ecologist |                                   |
|                | 1b         | Develop a brief flyer encouraging the retention, enhancement and creation of field margins for the benefit of IDBs and biodiversity & signpost further advice, , including LNRS habitat opportunity map, and send with rate demands | <ul style="list-style-type: none"> <li>Flyer sent out with rate demand</li> </ul>                   | 2027 & 2029     | IDB / Ecologist | Ecologist                         |
|                | 1c         | Audit the extent of arable field margins at the start and end of the BAP period                                                                                                                                                     | <ul style="list-style-type: none"> <li>Map of extent of field margins in 2026 &amp; 2031</li> </ul> | 2026 & 2030     | IDB             | Ecologist & Landowners/LNRS owner |

## 6.2.5 Grassland: Grassland & Lowland Fens (LFENS)

### 6.2.5.1 Grassland Objectives

1. *Retain, improve and increase the extent of grassland & fen within the District by encouraging and supporting private landowners to retain and manage existing grassland & fen habitat favourably, primarily via assisting with favourable water levels, and creating or supporting the creation of new wet grassland habitat where possible and appropriate.*

### 6.2.5.2 Wet Grassland Actions

| Objective ref. | Action no. | Action                                                                                                                                                                                                                            | Measurable / Indicators                                                                                                                                           | Completion date | Action Lead | Partners  |
|----------------|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------------|-----------|
| 1              | 1a         | Identify grassland & fen owners / managers adjacent to IDB watercourses and make contact to ascertain if the IDB can do anything to support the favourable management / conservation status of the habitat                        | <ul style="list-style-type: none"> <li>No. of grassland &amp; fen owners / Managers contacted</li> </ul>                                                          | 2026            | Ecologist   | IDB       |
|                | 1b         | Publish a note on the website detailing the value of grassland & fen for biodiversity in the District and encouraging the retention, favourable management and creation of the habitat, and signpost further advice & information | <ul style="list-style-type: none"> <li>Grassland &amp; fen note on website</li> </ul>                                                                             | 2027            | Ecologist   | IDB       |
|                | 1c         | Include brief flyer with rate demands promoting the retention, favourable management, creation and importance of grassland & fen within the District and signpost further advice and guidance                                     | <ul style="list-style-type: none"> <li>Flyer sent out with rate demand</li> </ul>                                                                                 | 2028/2030       | Ecologist   | IDB       |
|                | 1d         | Audit the extent of grassland & fen at the start and end of the BAP period                                                                                                                                                        | <ul style="list-style-type: none"> <li>Extent of grassland &amp; fen in District at the end of the BAP period is the same / greater than at the start.</li> </ul> | 2026 & 2030     | IDB         | Ecologist |

### 6.3. Species Action Plans

---

#### 6.3.1 Notes on species without specific actions

Some species have not been detailed specifically in this section, as actions to provide more, and better quality, habitat for them are delivered via other actions, mainly habitat and procedural actions. Such species include a range of flora that will be better supported via standard operating procedures (SOPS) for ditches, which aim to retain marginal and bank-side vegetation and manage it rotationally. Actions for habitats also encourage retention, creation and favourable management which will be of benefit to a range of species, such as the creation of arable field margins and reedbeds. Also, annual surveys aim to identify, record, report and protect many priority plant and animal species. SOPs and best practice IDB habitat management will also optimize opportunities for reptiles, many birds, invertebrates, other mammals, eels and fish.

#### 6.3.2 Birds

##### 6.3.2.1 Birds Objectives:

2. *Maximise habitat availability and quality for all birds that use IDB channels and margins for foraging and nesting, through sensitive routine channel maintenance activities*
3. *Improve opportunities for particular priority birds within the IDB District that could be impacted by IDB activities, with specific provisions*
4. *Improve understanding of bird population trends in District by recording and reporting bird sightings, particularly for priority birds*
5. *Protect and enhance bird habitats through non-routine works*

Conington and Holme Internal Drainage Board – Biodiversity Action Plan 2026 – 2031

6.3.2.2 Birds Actions

| Objective ref. | Action no. | Action                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Measurable / Indicators                                                                                                                                                                                                                                                                                             | Completion date | Action Lead     | Partners                                     |
|----------------|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-----------------|----------------------------------------------|
| 1              | 1a         | Define and publish <b>standard operating procedures (SOPs)</b> for routine maintenance activities, in line with legislation and best practice, that consider birds, including: <ul style="list-style-type: none"> <li>Retention and rotational management of marginal vegetation fringes</li> <li>Bank-side tree and scrub retention and management,</li> <li>Rotational bank vegetation cutting</li> <li>Scheduling work outside the nesting season i.e. mid-August onwards</li> </ul> | <ul style="list-style-type: none"> <li>Published SOPs available on website which consider birds covering: <ul style="list-style-type: none"> <li>~ Channel vegetation management,</li> <li>~ Bank vegetation management inc. trees and scrub,</li> <li>~ Desilting,</li> <li>~ Herbicide use</li> </ul> </li> </ul> | 2026            | IDB             | Ecologist                                    |
| 2              | 2a         | Map, retain, protect and increase bank-side trees for <b>KINGFISHERS</b> as fishing perches wherever possible, favouring trimming for access and conveyance rather than removal.                                                                                                                                                                                                                                                                                                        | <ul style="list-style-type: none"> <li>Important Kingfisher fishing areas mapped &amp; made available to works operatives</li> </ul>                                                                                                                                                                                | 2027            | Ecologist / IDB | Landowners, Community                        |
|                |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | <ul style="list-style-type: none"> <li>No. of important Kingfisher areas equal or greater at end of BAP period</li> </ul>                                                                                                                                                                                           | 2031            | IDB             | Ecologist, Landowners, Community             |
|                | 2b         | Map, retain, manage, protect and create <b>KINGFISHER</b> nesting sites along IDB watercourses                                                                                                                                                                                                                                                                                                                                                                                          | <ul style="list-style-type: none"> <li>Kingfisher nest sites mapped &amp; made available to works operatives</li> </ul>                                                                                                                                                                                             | 2027            | IDB             | Ecologist, Landowners, Community             |
|                | 2c         | Map existing <b>BARN OWL BOXES</b> within the district, maintain existing boxes, fund and install new ones either on IDB assets or by liaising with private landowners and communities                                                                                                                                                                                                                                                                                                  | <ul style="list-style-type: none"> <li>Map of Barn Owl boxes in district</li> </ul>                                                                                                                                                                                                                                 | 2027            | IDB             | Ecologist, Landowners, Volunteers, Community |
|                |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | <ul style="list-style-type: none"> <li>Number of boxes maintained each year reported in Board Report</li> </ul>                                                                                                                                                                                                     | Annually        | IDB             | Ecologist, Landowners, Volunteers, Community |
|                |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | <ul style="list-style-type: none"> <li>No. of Barn Owl boxes in district equal or greater at end of BAP period</li> </ul>                                                                                                                                                                                           | 2027-2031       | IDB             | Ecologist, Landowners, Volunteers, Community |

Conington and Holme Internal Drainage Board – Biodiversity Action Plan 2026 – 2031

|   |    |                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                             |                    |     |                                  |
|---|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|-----|----------------------------------|
| 2 | 2d | Install on IDB assets, or encourage the installation of <b>SWIFT NEST BOXES</b> on private and community assets near IDB channels by funding nest boxes and providing installation assistance where necessary                                                                                                                                                              | <ul style="list-style-type: none"> <li>Promotion of swift nest box installation and provision via website, community news and rate demands</li> </ul>                                                                                                                                                       | 2028               | IDB | Ecologist                        |
|   |    |                                                                                                                                                                                                                                                                                                                                                                            | <ul style="list-style-type: none"> <li>Number of swift boxes installed and map of them</li> </ul>                                                                                                                                                                                                           | Ongoing            | IDB | Ecologist, Community, Landowners |
| 3 | 3a | Encourage and support bird <b>SURVEYS</b> .<br><br><b>RECORD AND REPORT SIGHTINGS</b> of birds, particularly priority birds, and encourage others via IDB networks to do the same                                                                                                                                                                                          | <ul style="list-style-type: none"> <li>Publication to encourage surveys, recording and reporting to the ecologist and/or <b>iRecord</b> via: <ul style="list-style-type: none"> <li>~ Board Report</li> <li>~ IDB website</li> <li>~ Rate demand</li> <li>~ Community communications</li> </ul> </li> </ul> | 2026               | IDB | Ecologist, Community, Landowners |
|   |    |                                                                                                                                                                                                                                                                                                                                                                            | <ul style="list-style-type: none"> <li>Mapped sightings across the IDB District published with Board report</li> </ul>                                                                                                                                                                                      | Annually           | IDB | Ecologist                        |
| 4 | 4a | Ensure all non-routine channel and asset works are assessed for impacts to birds and mitigations and enhancements are designed-in ahead of works, particularly scheduling works outside nesting season.<br><br>Enhancements could include retaining valuable habitat, artificial nest box provision and using green engineering such as coir roll and enhanced seed mixes. | <ul style="list-style-type: none"> <li>Minuted review of planned non-routine works and ecol. assessment requirements for forthcoming year at each Board Meeting.</li> <li>Enhancements that benefit birds as a result of non-routine works reported annually in Board papers</li> </ul>                     | 2026 then Annually | IDB | Ecologist                        |



### 6.3.3 Mammals

#### 6.3.3.1 Mammals Objectives:

1. *Maximise habitat availability and quality for all mammals but particularly priority mammals, that use IDB channels and margins for foraging and refuge, through sensitive routine channel maintenance activities*
2. *Improve opportunities for particular priority mammals within the IDB District that could be impacted by IDB activities, with specific provisions*
3. *Improve understanding of mammal population trends in District by recording and reporting sightings, particularly for priority mammals*
4. *Protect and enhance mammal habitats through non-routine works*

#### 6.3.3.2 Mammals Actions

| Objective ref. | Action no. | Action                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Measurable / Indicators                                                                                                                                                                                                                                                                                                                                                    | Completion date | Action Lead | Partners                      |
|----------------|------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------------|-------------------------------|
| 1              | 1a         | Define and publish <b>standard operating procedures (SOPs)</b> for routine maintenance activities, in line with legislation and best practice, that consider mammals, including: <ul style="list-style-type: none"> <li>Retention and rotational management of marginal vegetation fringes</li> <li>Bank-side tree and scrub retention and sensitive management,</li> <li>Rotational bank vegetation cutting</li> <li>Scheduling work outside sensitive seasons</li> </ul> | <ul style="list-style-type: none"> <li>Published SOPs available on IDB website which consider <b>WATER VOLES, OTTERS, HEDGEHOGS AND BATS</b> at least, covering: <ul style="list-style-type: none"> <li>~ Channel vegetation management,</li> <li>~ Bank vegetation management inc. trees and scrub,</li> <li>~ Desilting,</li> <li>~ Herbicide use</li> </ul> </li> </ul> | 2026            | Ecologist   | IDB                           |
| 2              | 2a         | Support <b>WATER VOLE</b> conservation through the mink control project                                                                                                                                                                                                                                                                                                                                                                                                    | <ul style="list-style-type: none"> <li>Funding provided to support mink control project</li> </ul>                                                                                                                                                                                                                                                                         | Annually        | IDB         | Waterlife Recovery Trust      |
|                |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | <ul style="list-style-type: none"> <li>Number of mink control rafts hosted or funded on IDB watercourses</li> </ul>                                                                                                                                                                                                                                                        | Annually        | IDB         | Waterlife Recovery Trust      |
|                |            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | <ul style="list-style-type: none"> <li>Publication to promote the mink control project via posts on website, rate demand notices, Board meetings and community communications and no. of volunteers recruited</li> </ul>                                                                                                                                                   | Ongoing         | IDB         | Waterlife Recovery Trust, MLC |

Conington and Holme Internal Drainage Board – Biodiversity Action Plan 2026 – 2031

|          |           |                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                               |           |     |                                              |
|----------|-----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----|----------------------------------------------|
|          | <b>2b</b> | Identify and protect known or potential <b>OTTER</b> holts (refuges) and create or support the creation of more along appropriate IDB channels                                                                                                                                                                                                                                                         | <ul style="list-style-type: none"> <li>Known and potential otter holts (refuges) mapped &amp; made available to works operatives</li> </ul>                                                                                                                                                                                   | 2027      | IDB | Ecologist, Landowners, Community             |
|          |           |                                                                                                                                                                                                                                                                                                                                                                                                        | <ul style="list-style-type: none"> <li>No of otter holts increasing along IDB channels</li> </ul>                                                                                                                                                                                                                             | Ongoing   | IDB | Ecologist, Landowners, Community             |
|          |           |                                                                                                                                                                                                                                                                                                                                                                                                        | <ul style="list-style-type: none"> <li>Promotion of otter holt creation and retention via website, community news and rate demands</li> </ul>                                                                                                                                                                                 | 2028-2030 | IDB | Ecologist                                    |
|          | <b>2c</b> | Identify and protect known and potential <b>BAT</b> roosts (in trees and structures) along or near to IDB watercourses and install or support the installation of bat boxes in appropriate places along or near to IDB channels                                                                                                                                                                        | <ul style="list-style-type: none"> <li>Known and potential bat roosts in trees and structures mapped &amp; made available to works operatives</li> </ul>                                                                                                                                                                      | 2027      | IDB | Ecologist, Landowners, Volunteers, Community |
|          |           |                                                                                                                                                                                                                                                                                                                                                                                                        | <ul style="list-style-type: none"> <li>No. of bat roost provisions increasing along IDB channels</li> </ul>                                                                                                                                                                                                                   | Annually  | IDB | Ecologist, Landowners, Volunteers, Community |
|          |           |                                                                                                                                                                                                                                                                                                                                                                                                        | <ul style="list-style-type: none"> <li>Promotion of bat roost retention and bat box installation via website, community news and rate demands</li> </ul>                                                                                                                                                                      | 2027-2031 | IDB | Ecologist, Landowners, Volunteers, Community |
| <b>3</b> | <b>3a</b> | Encourage and support mammal <b>surveys</b> , particularly priority mammals.<br><br>Record and report <b>sightings</b> of mammals, particularly priority mammals, and encourage others via IDB networks to do the same                                                                                                                                                                                 | <ul style="list-style-type: none"> <li>Publication to encourage recording and reporting to the ecologist and/or <b>iRecord</b> via                             <ul style="list-style-type: none"> <li>~ Board Report</li> <li>~ IDB website</li> <li>~ Rate demand</li> <li>~ Community communications</li> </ul> </li> </ul> | Ongoing   | IDB | Ecologist, Community, Landowners, Volunteers |
|          |           |                                                                                                                                                                                                                                                                                                                                                                                                        | <ul style="list-style-type: none"> <li>Mapped sightings across the IDB District &amp; (non-sensitive elements) published with Board report</li> </ul>                                                                                                                                                                         | Annually  | IDB | Ecologist                                    |
| <b>4</b> | <b>4a</b> | Ensure all non-routine channel and asset works are assessed for impacts to mammals and mitigations and enhancements are designed-in ahead of works, particularly scheduling works outside sensitive seasons.<br><br>Enhancements could include retaining valuable habitat, creation of artificial refuges and boxes, provision and use of green engineering such as coir roll and enhanced seed mixes. | <ul style="list-style-type: none"> <li>Minuted review of planned non-routine works and ecol. assessment requirements for forthcoming year at each Board Meeting.</li> <li>Enhancements that benefit mammals as a result of non-routine works reported annually in Board papers</li> </ul>                                     | Annually  | IDB | Ecologist                                    |

### 6.3.4 Trees

#### 6.3.4.1 Trees Objectives:

1. *Identify and protect priority trees, particularly elm, black poplars and dark-leaved willow within the District*
2. *Increase numbers of black poplars*

#### 6.3.4.2 Trees Actions

| Objective ref. | Action no. | Action                                                                                                       | Measurable / Indicators                                                                                                                                                                                                                                                                            | Completion date              | Action Lead     | Partners                                     |
|----------------|------------|--------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|-----------------|----------------------------------------------|
| 1              | 1a         | Map and protect elm, black poplars and dark-leaved willow within the IDB district                            | <ul style="list-style-type: none"> <li>Map of selected trees &amp; made available to works operative</li> </ul>                                                                                                                                                                                    | 2028                         | Ecologist / IDB | Landowners, Community                        |
| 2              | 2a         | Seek and progress opportunities to plant more black poplars in appropriate locations across the IDB district | <ul style="list-style-type: none"> <li>Publication to request opportunities to plant black poplar via:                             <ul style="list-style-type: none"> <li>~ Board Report</li> <li>~ IDB website</li> <li>~ Rate demands</li> <li>~ Community communications</li> </ul> </li> </ul> | At least twice in BAP period | IDB             | Ecologist, Landowners, Volunteers, Community |
|                |            |                                                                                                              | <ul style="list-style-type: none"> <li>No. of black poplar in District equal or greater at end of BAP period</li> </ul>                                                                                                                                                                            | 2027-2031                    | IDB             | Ecologist, Landowners, Volunteers, Community |

### 6.3.5 Invasive Non-native Species (INNS)

#### 6.3.5.1 INNS Objectives:

1. *Minimise the risk of introducing or spreading INNS through IDB activities*
2. *Identify, control and eradicate INNS from the District*

#### 6.3.5.2 INNS Actions:

| Objective ref. | Action no. | Action                                                                                                                                                                                                                                                                                                                | Measurable / Indicators                                                                                                                                                                                                                                                                     | Completion date | Action Lead | Partners                         |
|----------------|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------------|----------------------------------|
| 1              | 1a         | Develop/update, publish and adhere to a biosecurity protocol for IDB activities                                                                                                                                                                                                                                       | <ul style="list-style-type: none"> <li>Biosecurity protocol published on-line and made available to IDB operatives</li> </ul>                                                                                                                                                               | 2026            | Ecologist   | IDB                              |
| 2              | 2a         | Encourage and support all IDB networks to: <ul style="list-style-type: none"> <li>Improve their recognition of INNS</li> <li>Report suspected INNS in and around IDB channels promptly</li> <li>Follow good biosecurity procedures such as check-clean-dry protocols</li> <li>Signpost further information</li> </ul> | <ul style="list-style-type: none"> <li>Information published via:                             <ul style="list-style-type: none"> <li>~ Board Report</li> <li>~ IDB website</li> <li>~ Rate demands</li> <li>~ Community communications</li> <li>~ Information Boards</li> </ul> </li> </ul> | 2027            | IDB         | Ecologist, Community, Landowners |
|                | 2b         | Provide support to partners in IDB networks to control existing INNS within the IDB District                                                                                                                                                                                                                          | <ul style="list-style-type: none"> <li>No. of INNS control projects supported</li> </ul>                                                                                                                                                                                                    | Ongoing         | IDB         | Ecologist, Community, Landowners |

## 7. Procedural Action Plan

### 7.1. Introduction

A number of procedural actions have been identified and detailed below. These aim to help to underpin all other actions to support and enhance biodiversity via IDB activities.

### 7.2. Procedural Objectives

1. *Improve IDB representative's and contractor's knowledge and delivery of biodiversity support through training*
2. *Maintain no net loss of trees and hedgerows as a result of IDB activity and consenting*
3. *Maintain a no-culverting policy which aims to maintain the extent of open ditch habitat in the District*
4. *Liaise closely with Parish Councils to improve knowledge and support for IDB work*

### 7.3. Procedural Actions

| Objective ref. | Action number | Action                                                                                                                                                                                                     | Measurable / Indicators                                                                              | Completion date | Action Lead | Partners       |
|----------------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|-----------------|-------------|----------------|
| 1              | 1a            | Ensure all staff including contractors have received biodiversity training within 6 months from the start date of this Plan, or as part of their induction, and refresher training provided every 3 years. | <ul style="list-style-type: none"> <li>Numbers of staff and trained and dates</li> </ul>             | 2026 & 29       | IDB         | Ecologist      |
| 2              | 2a            | Refresh and publish a “no net loss” policy for trees and hedgerows                                                                                                                                         | <ul style="list-style-type: none"> <li>Publication of approved policy on website</li> </ul>          | By 2028         | IDB         |                |
| 3              | 3a            | Refresh and publish a “no culverting” policy                                                                                                                                                               | <ul style="list-style-type: none"> <li>Publication of approved policy on website</li> </ul>          | By 2029         | IDB         |                |
| 4              | 4a            | Deliver IDB updates at Parish Council meetings and request attendance of Parish Council at IDB meetings                                                                                                    | <ul style="list-style-type: none"> <li>No of meetings attended by IDB and Parish Councils</li> </ul> | Ongoing         | IDB         | Parish Council |

## 8. Monitoring

Appropriate indicators have been set for each of the IDB's biodiversity actions. The individual action plans set out the indicators and measurables which will be used to assess progress and execution against the plan. The IDB will review actions and indicators at least annually.

The overall plan will be updated at least every 5 years but is a dynamic document so may change more frequently for example in the light of monitoring outcomes or changing priorities.

## 9. Reporting

The Board is responsible for ensuring that progress against the Plans' targets are routinely reviewed and reported, at least annually, at Board meetings to allow the Board to discuss and review BAP activity and to modify the BAP and actions to meet the objectives where necessary.

Annual summary progress reports will detail which actions have been progressed according to the plan, any new opportunities identified, risks and issues affecting the objectives or actions, and the contribution actions have made towards achieving the objectives. Recommendations will be made in the light of the monitoring outcomes.

Making this information available to a wider audience is important in increasing the understanding of the importance of the Boards' actions regarding biodiversity and inspiring people about biodiversity. As such, the IDB will make the summary reports available externally in the following ways:

1. *In the public domain via the IDB's website;*
2. *Provided to conservation partners and community groups such as Parish Councils to assist with further local biodiversity conservation planning;*
3. *Provided to local authorities in order to contribute towards their legislative biodiversity reporting requirements including the Local Nature Recovery Strategies;*
4. *The Local Biological Records Centre.*

## 10. Appendices

### 10.1. Appendix I – National Character Area 46 – The Fens - Detailed Statements of Environmental Opportunity

---

Link to full Fens NCA - [The Fens - National Character Area Profiles](#)

**SEO 1: Manage the agricultural landscape and soils which allow the Fens to be a major provider of food and horticultural produce, while seeking to enhance opportunities for biodiversity.**

**For example by:**

- Maintaining the valuable, productive, open agricultural landscape of the Fens National Character Area (NCA) with its high-quality soils, many of which are classed as Grade 1 agricultural land, through sustainable farming and agricultural agreements to the benefit of food production, biodiversity, sense of place and climate change regulation.
- Increasing opportunities to manage and protect the remaining peat resource, for example by raising water levels, to maintain (or enhance where possible) the build-up of organic matter; and encouraging landowners and managers to pursue such activities.
- Encouraging landowners and managers to use sustainable farming methods that protect the soil, such as maintaining vegetative cover and using grass buffer strips to reduce soil erosion from susceptible arable fields in the autumn and winter.
- Encouraging the adoption of good practice to avoid soil compaction and maintain good soil structure.
- Encouraging landowners and managers to manage land to prevent peat from drying out, and to maintain wetted peat soils to reduce loss through compaction, oxidation and wastage.
- For mineral soils in the NCA, promoting management techniques to build up soil organic matter to help maintain and enhance soil quality.
- Encouraging farmers to use techniques such as establishing break crops to manage land and protect soil.
- Encouraging minimum tillage and greater use of organic manures, biosolids and digestates plus soil conditioners, which will help to ameliorate soil losses if pursued on sufficient scale.
- Encouraging the establishment of areas of semi-natural habitat such as reedbed and washland which slow the passage of water through the hydrological system.
- Restoring and managing traditional orchards where there is already a traditional pattern, for example around Wisbech, promoting the planting of new orchards of mixed fruit trees to encourage bees where they are absent, and promoting the expansion of traditional shelterbelts around orchards.

**SEO 2: Manage the core wetland complexes and increase their connectivity by enhancing the main rivers, waterways and their associated riparian habitats and improve recreational access opportunities to the Fens.**

**For example by:**

- Promoting the creation and restoration of wetland landscapes through co-ordinated and sensitive management of water resources in conjunction with Fens for the Future partners, including Internal Drainage Boards (IDBs) and the farming community.
- Managing key wetland sites, including Wicken, Woodwalton and Holme Fens, remnants of the original fen, together with the great washlands which will form the core wetland complexes.
- In addition to the existing core areas, developing extensions at Baston Fen, Great Fen and Wicken Fen as envisioned in the Wicken Vision, as well as new areas such as Lakenheath Fen, Needingworth and the Wissey Wetland, to create more and larger areas of wetland habitats.
- Improving the water quality and quantity in water bodies in the Fens and improving their habitat value by creating buffer zones and undertaking habitat enhancement works, and identifying means by which issues including diffuse pollution can be co-operatively tackled, thus making a valuable contribution to outcomes required by the Water Framework Directive.
- Critically assessing the engineered network of ditches, installing new water management mechanisms where necessary, to enable localised management of groundwater.
- Encouraging winter flood storage on appropriate areas of land, ensuring appropriate management and control of any water resource created, in accordance with Water Level Management Plans,



promoting the reversion of existing flood-storage washlands to permanent grassland with extensive grazing regimes, and promoting the creation of new multi-functional washlands.

- Ensuring that sustainable flood risk management for the Fens is delivered through close partnerships.
- Promoting and establishing strategic, appropriately sized areas for biodiversity across the Fens to mitigate the impacts of local, summer storm-related catchment flooding, and to develop robust populations.
- Integrating and developing water resource management within flood management works and land management regimes, particularly at break point areas along the edge of the fen.
- Ensuring that the soils remain adequately hydrated to prevent erosion and maintain soil chemistry, especially where these soils could form ochre and become extremely acidic if dried and re-wetted.
- Promoting the creation of permissive and definitive access to increase opportunities for people to visit the Fens using sustainable transport methods; identifying the strategic gaps in the network and providing public transport in association with employment, heritage, education and recreation initiatives for local people and neighbouring towns and cities; and ensuring that existing projects with capacity such as Fens for the Future and the Fens Waterway Link address recreational and access issues.
- Identifying the strategic access gaps in the network and providing public transport in association with employment, heritage, education and recreation initiatives for local people and neighbouring towns and cities.

**SEO 3: Plan for the creation of new coastal landscapes in the Wash area that are adapted and resilient to the impact of climate change, for the benefit of people and wildlife.**

**For example by:**

- Seeking opportunities to reinstate intertidal salt marshes through realignment from arable to extensively grazed salt marsh, in line with the Wash Shoreline Management Plan.
- Seeking opportunities to create grazing marsh, reedbed and salt marsh throughout the Fens to compensate for losses of these habitats at the coast as a result of climate change and associated isostatic adjustment-induced sea-level rise, or where work carried out has damaged habitat.
- Seeking opportunities to identify and monitor key coastal active process sites.
- Replacing habitat lost from the coast through the East of England Regional Habitat Creation Programme.
- Planning for provision of permissive and definitive access (including the coastal access path) to increase opportunities for people to visit the Fens using sustainable transport methods.

**SEO 4: Conserve, manage and enhance the Fens landscape and increase educational opportunities to access its geodiversity, archaeology and cultural heritage to enhance enjoyment and understanding for those who live and work in and visit the Fens.**

**For example by:**

- Protecting and appropriately managing the historic environment, for its contribution to local character and sense of identity and as a framework for habitat restoration and sustainable development.
- Improving the condition of heritage assets through appropriate measures and seeking to reduce conflicting or unsympathetic management regimes, while recognising the high potential in this landscape for undiscovered remains.
- Providing a wider understanding of the geological record of environmental change held within the peat and associated Quaternary sediments, and supporting demonstration projects and sites that illustrate the cultural history, successional fenland habitats and geodiversity of the Fens.
- Managing and conserving the geological exposures throughout the Fens by the removal of undergrowth and the prevention of fly-tipping on these sites, in addition to identifying and protecting new (key) sites as they are discovered.
- Making links between geodiversity, archaeology and cultural heritage, building towards an integrated approach with the surrounding natural environment/landscapes.
- Conserving and monitoring buried geological and archaeological remains that are under threat through erosion of peat, increased or inappropriate cultivation, drying out from dewatering for irrigation, and pressures from development.
- Conserving historic landmark buildings and earthwork sites together with their setting, especially on the settled fens and clay islands.

- Using understanding of the area's traditional and historic architecture, and its distinct patterns of settlement, to inform appropriate conservation and use of historic buildings and farmsteads, and to plan for and inspire any environmentally beneficial new development that makes a positive contribution to local character.
- Promoting understanding of the benefits and potential adverse impacts of wind farms and associated electricity transmission pylons, which are an increasing feature of the fenland landscape.

**SEO 5: Seek partners to aid in the development and future provision of new, distinctive, Fenland economies.**

**For example by:**

- By promoting fenland cuisine and food preparation using local ingredients.
- Promoting natural art and craft production (such as baskets, woven reed mats, screens and fences for garden or poultry/ animal management purposes) in order to diversify the economic opportunities and output from Fenland resources.

## **10.2. Appendix II – National Character Area 88 - Bedfordshire and Cambridgeshire Claylands - Detailed Statements of Environmental Opportunity**

---

**Link to full Bedfordshire and Cambridgeshire Claylands NCA - [Bedfordshire and Cambridgeshire Claylands - National Character Area Profiles](#)**

**SEO 1: Maintain and manage a sustainable and productive claylands arable landscape, while managing, expanding and linking woodlands, hedgerows and other semi-natural habitats to benefit biodiversity, improve soil and water quality, and ameliorate climate change by promoting good agricultural practice.**

**For example by:**

- Managing the arable landscape to retain the value of food provision through employing sustainable farming practices.
- Working with local farmers, landowners and managers to promote best practice such as the appropriate management of hedgerows, reducing herbicide and pesticide use, buffering field margins and woodland edges, and retaining winter stubble to support farmland birds and pollinators.
- Promoting good soil management to avoid compaction and maintain good soil structure.
- Encouraging the conservation and management of existing woodlands and the replacing of introduced species with native species, as well as undertaking new tree and woodland planting to link existing sites in order to enhance biodiversity and recreational opportunities.
- Seeking opportunities to develop biomass production through active woodland management and promote and stimulate local markets for wood products, biomass and wood fuel to support sustainable timber production.
- Ensuring that populations of wild deer are managed to reduce damage caused to the natural regeneration of trees and woodland.
- Preparing and implementing plans to control or limit the spread of new pests or disease – for example, ash die-back.
- Extending where appropriate the semi-natural vegetation cover, especially on steeper slopes where the Bedfordshire and Cambridgeshire Claylands National Character Area (NCA) meets the Bedfordshire Greensand Ridge, Chilterns, and East Anglian Chalk NCAs, to improve soil quality and reduce run-off and erosion.
- Enhancing and expanding the network of semi-natural habitats through targeted environmental enhancements, including ponds, hedgerows, hedgerow trees and species-rich grasslands (such as areas found along road verges, green lanes and field margins) to support biodiversity.
- Encouraging the appropriate management and expansion of traditional orchards, bringing them back into active management to conserve their genetic diversity, biodiversity value and cultural heritage; and promoting and encouraging local markets for locally grown orchard produce.

**SEO 2: Protect aquifers and enhance the quality, state and structure of the River Great Ouse, its valley and tributaries, habitats, waterbodies and flood plain by seeking to enhance their ecological, historical and recreational importance while taking into account their contribution to sense of place and regulating water flow, quality and availability.**

**For example by:**

- Promoting and encouraging the sustainable use of local water resources by agricultural, commercial and domestic users to reduce the pressure on water resources in this NCA.
- Ensuring that water abstraction and poor water quality do not threaten important wetland habitats and archaeological features.
- Monitoring and managing water abstraction licences, with new applications for groundwater abstraction considered on a case-by-case basis to reduce the pressure on the aquifers.
- Incorporating and encouraging the use of water efficiency measures in new developments.
- Implementing catchment-wide water management plans to ensure a co-ordinated approach to reducing the impacts of pollution on water quality.
- Encouraging the use of sustainable drainage schemes, especially within urban areas to reduce run-off.
- Promoting and encouraging different remedies to improve water quality (for example, increasing on-farm water storage to reduce water abstraction levels, increasing flow rates and water levels in rivers, and continuing to make improvements to wastewater treatment works), to benefit aquatic

biodiversity.

- Encouraging landowners and managers to increase and link areas of semi-natural habitat -such as flood plain grazing marsh, lowland meadow, ponds, fen and reedbed – to help slow water passage and filter out pollutants and support biodiversity.
- Working to reduce surface and groundwater pollution at a catchment scale by managing farmland under the principles established by the Catchment Sensitive Farming Programme.
- Expanding buffer strips along watercourses to help filter out sediments and pollution and provide benefits for landscape character and biodiversity.
- Working with landowners and managers to encourage the appropriate management of rivers, streams, waterbodies and riparian habitats to support biodiversity.
- Managing vegetation within the catchment to help to bind the soil, thus reducing the risk of erosion and slowing the passage of water.
- Seeking opportunities to extend and link areas of woodland, hedgerows, grassland and other semi-natural habitats to assist in absorbing water flow and provide benefits for biodiversity.
- Seeking opportunities to increase the capacity of the flood plain, conserve and extend riparian habitats to retain water, and bring benefit to the river environment.
- Promoting green infrastructure to help mitigate the impact of flooding.
- Encouraging the use of sustainable urban drainage systems such as permeable surfacing within urban areas to help reduce run-off.
- Controlling, monitoring and managing invasive non-native species to prevent or reduce damage to native species populations and habitats.

**SEO 3: Plan and create high-quality green infrastructure to help accommodate growth and expansion, linking and enhancing existing semi-natural habitats. Regenerate the post-industrial landscapes of the Forest of Marston Vale and Peterborough to improve and create new opportunities for biodiversity, recreation, timber and biomass provision while strengthening sense of place, tranquillity, resilience to climate change, and people's health and wellbeing.**

**For example by:**

- Supporting the creation and expansion of native woodlands, orchard, parkland, grasslands, and hedgerows to improve habitat connectivity within the landscape and provide increased benefits for biodiversity and recreation.
- Ensuring that areas of designated land remain in favourable condition, and improving their condition where possible.
- Promoting awareness of, and providing advice to landowners and managers on, managing habitats of biodiversity interest.
- Supporting initiatives that include well-planned green infrastructure that will increase people's access to and contact with the natural environment to benefit their health and wellbeing.
- Creating new woodland as appropriate on urban fringes to help screen and integrate new developments, and provide biodiversity and green infrastructure benefits.
- Managing recreational sites to accommodate visitor pressure and demand without conflict between different users, and without causing adverse effects on the natural environment.
- Maintaining, extending and promoting the use of the National Cycle Routes and the rights-of-way network.
- Conserving and managing traditional orchards, hedgerows, parkland, and ancient and veteran trees for the benefit of fauna (such as specialist invertebrates dependent on dead or decaying wood, pollinators and pest regulators).
- Protecting and conserving existing traditional orchards from inappropriate development and changes in land use.
- Retaining and enhancing the contrast in landscape character between the clay plateau and river valleys, aiming to maintain and enhance the balance between urban and rural landscapes.
- Preventing inappropriate development and promoting the use of local building stone to maintain the character of villages and historic buildings.
- Ensuring that any new developments incorporate well-designed green infrastructure, to include improved access and recreation opportunities for local communities and visitors.
- Supporting the work of the Forest of Marston Vale Community Forest to regenerate the area and repair the landscape, using trees and woodland to provide social, economic and environmental benefits.
- Supporting the work of the Chilterns Area of Outstanding Natural Beauty (AONB) to conserve and enhance the landscape and special qualities of the AONB.

- Ensuring that geodiversity sites continue to be protected, monitored and managed.
- Ensuring that mineral extraction sites are restored to contribute to local landscape character and offer opportunities to enrich people's understanding of landscape, and enhance biodiversity, recreation and geodiversity.

**SEO 4: Protect, conserve and enhance the cultural heritage and tranquillity of the Bedfordshire and Cambridgeshire Claylands NCA, including its important geodiversity, archaeology, historic houses, parkland, and Second World War and industrial heritage, by improving interpretation and educational opportunities to increase people's enjoyment and understanding of the landscape.**

**For example by:**

- Promoting awareness and understanding of the area's rich geological heritage and the impact it has on the landscape, local distinctiveness and human activity – for example, in brick making.
- Ensuring that new development is in keeping with the local character of the area by using local stone in buildings to enhance sense of place and history.
- Promoting the restoration and good management of historic buildings and features, including those that are listed and 'at risk'.
- Using an understanding of the area's historic settlements and buildings to promote high-quality design in new development.
- Protecting, managing and promoting important archaeological features and landscapes such as ridge and furrow to increase people's understanding.
- Conserving and enhancing the cultural heritage of the brick-making industry, the Grand Union Canal and 20th-century military sites by promoting and improving access to increase awareness and understanding.
- Increasing tranquillity by conserving, managing and extending areas of semi-natural habitat, particularly woodlands and hedgerows, to benefit wildlife and people.
- Promoting existing sites that offer opportunities for people to enjoy the local landscape and providing improved interpretation and educational opportunities to increase people's understanding of the natural and built environments.
- Offering high-quality interpretation at key sites, and providing improved interpretation and educational opportunities to increase people's understanding and enjoyment of the key attributes of the area such as the history of brick making and jam making.
- Encouraging the restoration and sustainable management of historic parklands.
- Seeking opportunities to protect more tranquil parts of the area to reduce light and noise pollution and seeking opportunities to remove obtrusive features such as signage, lighting and poles.
- Working with local planning authorities to ensure that development is well designed to enhance landscape character and sense of place and to minimise the impacts of noise and light pollution.



### 10.3. Appendix III - Impact Risk Zones for Sites of Special Scientific Interest

---

#### Does the proposed development match any of the descriptions below?

**All Consultations:** All planning applications (except householder applications) where the proposed development is outside or extends outside existing settlements/urban areas and will increase lighting levels or affect greenspace, farmland, semi natural habitats, trees/woodland, waterbodies, rural buildings/structures (manmade or natural) or linear landscape features such as hedgerows, streams and rivers through direct loss, fragmentation or change of use.

**Infrastructure:** Pipelines and underground cables, pylons and overhead cables (excluding upgrades and refurbishment of existing network). Any transport proposal including new or extended footways, cycleways, roads/car parks, railways and waterways (excluding routine maintenance). Airports, helipads and other aviation proposals.

**Wind and Solar:** Solar schemes with a footprint > 0.5ha, all wind turbines.

**Minerals, Oil and Gas:** Planning applications for quarries, including: new proposals, Review of Minerals Permissions (ROMP), extensions, variations to conditions etc. Oil & gas exploration/extraction.

**Rural Non-Residential:** Large non-residential developments outside of existing settlements/urban areas where the net additional gross internal floorspace is > 1,000m<sup>2</sup> or the footprint exceeds 0.2ha.

**Residential:** Residential development of 50 units or more.

**Rural Residential:** Any residential developments outside of existing settlements/urban areas with a total net gain in residential units.

**Air Pollution:** Any industrial/agricultural development that could cause AIR POLLUTION (including: industrial processes, livestock & poultry units with a floorspace > 500m<sup>2</sup>, slurry lagoons > 200m<sup>2</sup> & manure stores > 250 tonnes).

**Combustion:** General combustion processes >20MW energy input. Incl: energy from waste incineration, other incineration, landfill gas generation plant, pyrolysis/gasification, anaerobic digestion, sewage treatment works, other incineration/combustion.

**Waste:** Landfill. Including: inert landfill, non-hazardous landfill, hazardous landfill.

**Compost:** Any composting proposal with more than 500 tonnes maximum annual operational throughput. Incl: open windrow composting, in-vessel composting, anaerobic digestion, other waste management.

**Discharge:** Any discharge of water or liquid waste of more than 2m<sup>3</sup>/day that is discharged to ground (i.e. to seep away) or to surface water, such as a beck or stream.

**Water Supply:** Any development needing its own water supply e.g. remote rural housing that is not connected to a mains water supply, OR large infrastructure such as warehousing/industry where the total net additional gross internal floorspace following development is > 1,000m<sup>2</sup>.